

John Deere	9000	9120, 9220, 9320, 9420, 9520, 9620, 9420, 9320, 9330, 9430, 9530, 9630	AutoTrac Ready	Autoguide Ready Install, Direct Connect	54036-21		54036-21	N/A	55347	Yes	Yes	No	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Reverse Operation not allowed	JDAT 3800 4WD Tractorvdb	5.16	10.0 / 16.1	18.0 / 28.0	2.35	8
John Deere	9000	9100, 9220, 9300, 9320, 9330, 9300, 9320, 9330, 9400, 9420, 9430, 9520, 9530, 9620, 9630	Base Model	Autopilot Motor Drive	78100-01-RS		78035-01	N/A	55347	No	Yes	No				Reverse Operation not allowed	JD0000_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	13.5	10
John Deere	9R	9360R, 9370R, 9410R, 9420R, 9460R, 9470R, 9510R, 9520R, 9560R, 9570R, 9620R	AutoTrac Ready	Autoguide Ready Install, CAN	54035-5042		54035-42	N/A	66774 or 62034	No	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Reverse Operation not allowed	JOAT CAN 9000R Tractorvdb	11	10.0 / 16.1	18.0 / 28.0	10	8
John Deere	9R	9R390, 9R440, 9R490, 9R540, 9R590, 9R640	AutoTrac Ready	Autoguide Ready Install, CAN	54035-5042		54035-42	N/A	66774 or 62034	No	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Reverse Operation not allowed	JOAT CAN 9000R Tractorvdb	11	10.0 / 16.1	18.0 / 28.0	10	8
John Deere	9RX	9470RX, 9520RX, 9570RX, 9620RX	AutoTrac Ready	Autoguide Ready Install, CAN	54035-5042		54035-42	N/A	66774 or 62034	No	Yes	Yes				Reverse Operation not allowed	JOAT CAN 9000R Tractorvdb	11	10.0 / 16.1	18.0 / 28.0	10	8
John Deere	9RX	9RX490, 9RX540, 9RX590, 9RX640	AutoTrac Ready	Autoguide Ready Install, CAN	54035-5042		54035-42	N/A	66774 or 62034	No	Yes	Yes				Reverse Operation not allowed	JOAT CAN 9000R Tractorvdb	11	10.0 / 16.1	18.0 / 28.0	10	8
John Deere	9R	9360R, 9410R, 9460R, 9560R	Base Model	Hydraulic	54036-22		54036-22	52063	66774 or 62034	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Reverse Operation not allowed	JD 9000R Tractorvdb	5.16	10.0 / 16.1	18.0 / 28.0	11	27
Kirovets	K244	K730 P1, K735 P2, K739 P4, K742 P4	Base Model	Hydraulic	54036-121		54036-121	113576	62034	Yes	Yes	Yes				Reverse Operation not allowed	Kirovec 744 vdb	10	10.0 / 16.1	18.0 / 28.0	6.5	17
New Holland	Ti	T3275, T3295	Base Model	Hydraulic	54036-15		54036-15	40771	55345	Yes	Yes	No	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Reverse Operation not allowed	NH T1275_325vdb	5.16	10.0 / 16.1	18.0 / 28.0	10	38
New Holland	Ti	T3275, T3295	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	55345	No	Yes	No				Reverse Operation not allowed	NH T1275_330 APMDvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	Ti	T3280, T3330	Base Model	Hydraulic	54036-16		54036-16	59867	55345	Yes	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Reverse Operation not allowed	NH T1280_330 Tractorvdb	5.16	10.0 / 16.1	18.0 / 28.0	3.5	10
New Holland	Ti	T3280, T3330	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	55345	No	Yes	No				Reverse Operation not allowed	NH T1275_330 APMDvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	Ti	T3375, T3425, T3440, T3450, T3500	Base Model	Hydraulic	54036-15		54036-15	49917	55345	Yes	Yes	No	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Reverse Operation not allowed	NH T1375_500vdb	5.16	10.0 / 16.1	18.0 / 28.0	10	38
New Holland	Ti	T3375, T3425, T3440, T3450, T3500	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	55345	No	Yes	No				Reverse Operation not allowed	NH T9000_T9_LF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	Ti	T3380, T3430, T3480, T3530	Base Model	Hydraulic	54036-16		54036-16	59867	55345	Yes	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Reverse Operation not allowed	NH T1380_530 Tractorvdb	5.16	10.0 / 16.1	18.0 / 28.0	3.5	10
New Holland	Ti	T3380, T3430, T3480, T3530	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	55345	No	Yes	No				Reverse Operation not allowed	NH T9000_T9_LF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	T9 Tier 4a	T9 390, T9 450, T9 505	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes				Hybrid cabling provided in controller kit	NHS T9 505 T4 vdb	5.2	10.0 / 16.1	18.0 / 28.0	5	10
New Holland	T9 Tier 4b	T9 390, T9 450, T9 505	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit, Reverse Operation not allowed	NH T9000_T9_SF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	T9 Tier 4b	T9 600, T9 645, T9 700	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit	NHS T48 T9 600-T9 700 vdb	5.26	10.0 / 16.1	18.0 / 28.0	3	10
New Holland	T9 Tier 4b	T9 600, T9 645, T9 700	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit, Reverse Operation not allowed	NH T9000_T9_LF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	T9 Tier 4b	T9 435, T9 480, T9 530, T9 565	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes				Hybrid cabling provided in controller kit	NHS T48 T9 435-T9 565 vdb	5.26	10.0 / 16.1	18.0 / 28.0	3	10
New Holland	T9 Tier 4b	T9 435, T9 480, T9 530, T9 565	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit, Reverse Operation not allowed	NH T9000_T9_SF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	T9 Tier 4b	T9 435, T9 480, T9 530, T9 565	Intellizeer Ready, CAN	Autoguide Ready Install, CAN	54035-5028		64425-27	N/A	62034	No	Yes	Yes				Hybrid cabling provided in controller kit	NHS T48 T9 435-T9 565_CAN vdb	11	10.0 / 16.1	18.0 / 28.0	3	10
New Holland	T9 Tier 4a	T9 560, T9 615, T9 670	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit	NHS T9 670 T4 vdb	5.2	10.0 / 16.1	18.0 / 28.0	3	10
New Holland	T9 Tier 4a	T9 560, T9 615, T9 670	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit, Reverse Operation not allowed	NH T9000_T9_LF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	T9 Tier 4b	T9 600, T9 645, T9 700	Intellizeer Ready, CAN	Autoguide Ready Install, CAN	54035-5028		64425-27	N/A	62034	No	Yes	Yes				Hybrid cabling provided in controller kit	NHS T48 T9 600-T9 700_CAN vdb	11	10.0 / 16.1	18.0 / 28.0	3	10
New Holland	T9000	T9020	Intellizeer Ready, Autosense	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Hybrid cabling provided in controller kit	NHS T9020 Tractor Autosensevdb	5.2	10.0 / 16.1	18.0 / 28.0	5	10
New Holland	T9000	T9020	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit, Reverse Operation not allowed	NH T9000_T9_SF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	T9000	T9030, T9040, T9050, T9060	Intellizeer Ready, Autosense	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Hybrid cabling provided in controller kit	NHS T9030_9060 Tractor Autosensevdb	5.2	10.0 / 16.1	18.0 / 28.0	5	10
New Holland	T9000	T9030, T9040, T9050, T9060	Base Model	Autopilot Motor Drive	78100-02-RS		78035-125	N/A	62034	No	Yes	No				Hybrid cabling provided in controller kit, Reverse Operation not allowed	NH T9000_T9_LF_APMdvdb	12	10.0 / 16.1	18.0 / 28.0	10.5	10
New Holland	Ti	T3275, T3325	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Hybrid cabling provided in controller kit, Reverse Operation not allowed	NHS T1275_325vdb	5.16	10.0 / 16.1	18.0 / 28.0	10	38
New Holland	Ti	T3280, T3330	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Hybrid cabling provided in controller kit, Reverse Operation not allowed	NHS T1280_330 Tractorvdb	5.16	10.0 / 16.1	18.0 / 28.0	3.5	10
New Holland	Ti	T3375, T3425, T3440, T3450, T3500	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Hybrid cabling provided in controller kit, Reverse Operation not allowed	NHS T1375_500vdb	5.16	10.0 / 16.1	18.0 / 28.0	10	38
New Holland	Ti	T3380, T3430, T3480, T3530	Intellizeer Ready	Autoguide Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have analog End of Row turn button	Hybrid cabling provided in controller kit, Reverse Operation not allowed	NHS T1380_530 Tractorvdb	5.16	10.0 / 16.1	18.0 / 28.0	3.5	10
Paunty	EVO	500C, 540C, 580C, 730C	Base Model	Hydraulic	54036-70		54036-70	85922	66774 or 62034	Yes	Yes	Yes	Yes	104646-60	Reverse Operation not allowed	Reverse Operation not allowed	Paunty Evo-Awdvdb	5.16	10.0 / 16.1	18.0 / 28.0	10	38
Verastile	800	835, 836, 846, 855, 856, 875, 876, 895	Base Model	Autopilot Motor Drive	78100-24-RS		78035-11	N/A		No	Yes	No				Reverse Operation not allowed	Verastile 845_1146 APMDvdb	13.7	10.0 / 16.1	18.0 / 28.0	17	10
Verastile	900	956, 945, 946, 955, 956, 976	Base Model	Autopilot Motor Drive	78100-24-RS		78035-11	N/A		No	Yes	No				Reverse Operation not allowed	Verastile 845_1146 APMDvdb	13.7	10.0 / 16.1	18.0 / 28.0	17	10

Combining																					
Make	Series	Model#	Vehicle Options	Autopilot Options	VDM-912 Available*	Platform kit or Competition kit	Flow kit	Antenna Bracket	VDM-912 Available*	Northwest Available*	Northwest Connect*	Northwest Connect*	Northwest Connect*	Northwest Connect Notes	Notes	YDR	Minimum PW	Engage Speed	Max Speed	Pans	Detectors
Case IH	AFX 10	7010, 8010	Base Model	Hydraulic	5403B-25	57116	55483	Yes	Yes	Yes				CH 7010, 9120 Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	14	46		
Case IH	AFX 10	7010, 8010	Base Model	Autopilot Motor Drive	78100-05-RS		55483	No	Yes	No				CH AFX_APM0 vbb	13.7	15.0 / 24.1	22.0 / 35.4	18	10		
Case IH	AFX 20	7120, 8120, 9120	Base Model	Hydraulic	5403B-25	57116	55483	Yes	Yes	Yes				CH 7100, 9120 Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	14	46		
Case IH	AFX 20	7120, 8120, 9120	Base Model	Autopilot Motor Drive	78100-08-RS		55483	No	Yes	No				CH AFX_APM0 vbb	13.7	15.0 / 24.1	22.0 / 35.4	18	10		
Case IH	88 Series	5088, 6088, 7088	Base Model	Autopilot Motor Drive	78100-12-RS		62034	No	Yes	Yes				CH 5088, 6100 Combine APM0 vbb	13.7	15.0 / 24.1	22.0 / 35.4	14	12		
Case IH	2300	2177, 2388	Accugrade Ready	Accugrade Ready Install	64425-28	84425-28	N/A	62034	No	Yes	Yes			Hybrid cabling provided in controller kit	6	12.0 / 19.3	18.0 / 29.0	25	34		
Case IH	2500	2577, 2588	Accugrade Ready	Accugrade Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes		Hybrid cabling provided in controller kit	6	12.0 / 19.3	18.0 / 29.0	25	34		
Case IH	88 Series	5088, 6088, 7088	Accugrade Ready	Accugrade Ready Install, Flow Switch	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes		Hybrid cabling provided in controller kit, Use "flow" for models with steering wheel encoders	6	12.0 / 19.3	18.0 / 29.0	15	30		
Case IH	88 Series	5088, 6088, 7088	Accugrade Ready	Accugrade Ready Install, Tooth Switch	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes		Hybrid cabling provided in controller kit, Use "tooth" for models with flowswitch	6	12.0 / 19.3	18.0 / 29.0	15	30		
Case IH	Asial Flow 130	5130, 6130, 7130	Accugrade Ready	Accugrade Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes		Hybrid cabling provided in controller kit	12.5	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	Asial Flow 130	5130, 6130, 7130	Up to Serial Number YG0000296	Accugrade Ready Install	78100-08-RS		7808B-25	N/A	62034	No	Yes	Yes		CH 5088, 6100 Combine APM0 vbb	13.7	15.0 / 24.1	22.0 / 35.4	14	12		
Case IH	Asial Flow 130	5130, 6130, 7130	Accugrade Ready, Common Cab	Accugrade Ready Install, CAN	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH 5130, 7150 Combine RG-100 vbb	12.5	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	Asial Flow 130	5130, 6130, 7130	Common Cab, Serial Number YG0000297+	Autopilot Motor Drive	78100-35-RS		N/A	N/A	62034	No	Yes	Yes		CH 5088, 6100 Combine APM0 vbb	13.7	15.0 / 24.1	22.0 / 35.4	14	12		
Case IH	Asial Flow 140	5140, 6140, 7140	Accugrade Ready	Accugrade Ready Install	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH 5140, 7150 Combine RG-100 vbb	12.5	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	Asial Flow 150	5150, 6150, 7150	Accugrade Ready	Accugrade Ready Install	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH 5150, 7150 Combine RG-100 vbb	12.5	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	AFX 10	7010, 8010	Accugrade Ready	Accugrade Ready Install, CAN	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH AFX 7010, 9120 RG100 vbb	6	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	AFX 20	7120, 8120, 9120	Accugrade Ready	Accugrade Ready Install, CAN	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH AFX 7120, 9120 RG100 vbb	6	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	AFX 10	7230, 8230, 9230	Accugrade Ready, Comfort Cab	Accugrade Ready Install, CAN	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH AFX 7120, 9120 RG100 vbb	6	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	AFX 20	7230, 8230, 9230	Comfort Cab Only up to Serial Number YG218532	Autopilot Motor Drive	78100-08-RS		7808B-25	N/A	62034	No	Yes	Yes		CH AFX_APM0 vbb	13.7	15.0 / 24.1	22.0 / 35.4	18	10		
Case IH	AFX 30	7230, 8230, 9230	Accugrade Ready	Accugrade Ready Install, CAN	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH AFX 7230, 9240 RG100 vbb	12.5	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	AFX 30	7240, 8240, 9240	Accugrade Ready, Common Cab	Accugrade Ready Install, CAN	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH AFX 7230, 9240 RG100 vbb	12.5	12.0 / 19.3	18.0 / 29.0	10	34		
Case IH	AFX 30	7250, 8250, 9250	Accugrade Ready, Common Cab	Accugrade Ready Install, CAN	64425-27	84425-28	64425-27	N/A	62034	No	Yes	Yes		CH AFX 7250, 9250 RG100 vbb	5.16	12.0 / 19.3	18.0 / 29.0	10	34		
Challenger	C	540C, 560C	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	5403S-5062		5403B-62	N/A	9026B or 62034	No	Yes	Yes		AGCO Challenger 500C CAN Combine RG100 vbb	6	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
Clas	Lenox	560R, 570R, 575R, 580R, 585R, 590R, 595R	Tracked	Hydraulic	5403B-40		5403B-40	62380-00 or 62034	Yes	Yes	Yes			Clas Lenox SXR Trk RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	12	40		
Clas	Lenox	560R, 570R, 575R, 580R, 585R, 590R, 595R	Tracked	Autopilot Motor Drive	78100-23-RS		N/A	62380-00 or 62034	Yes	Yes	Yes			Clas Lenox SXR_APM0 vbb	12	12.0 / 19.3	18.0 / 29.0	10	34		
Clas	Lenox	560R, 570R, 575R, 580R, 585R, 590R, 595R	Wheelend	Hydraulic	5403B-40		5403B-40	62380-00 Wheel or 62034	Yes	Yes	Yes			Clas Lenox SXR Wheel RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	12	40		
Clas	Lenox	560R, 570R, 575R, 580R, 585R, 590R, 595R	Wheelend	Autopilot Motor Drive	78100-23-RS		N/A	62380-00 or 62034	No	Yes	No			Clas Lenox SXR_APM0 vbb	12	12.0 / 19.3	18.0 / 29.0	15	12		
Clas	Lenox	670	Guidance Ready, CAN	Autoguide Ready Install, CAN	5403S-5046		5403B-42	N/A	62034	No	Yes	Yes		NAV-900 installations do not support Yield Monitoring	11	15.0 / 24.1	22.0 / 35.4	10	38		
Clas	Lenox	730, 740, 750, 760, 770, 780	Guidance Ready, CAN	Autoguide Ready Install, CAN	5403S-5046		5403B-42	N/A	62034	No	Yes	Yes		NAV-900 installations do not support Yield Monitoring	11	15.0 / 24.1	22.0 / 35.4	10	38		
Clas	Lenox	730, 740, 750, 760, 770, 780	Guidance Ready, CAN	Autoguide Ready Install, CAN, Larger AGR Valve	5403S-5046		5403B-42	N/A	62034	No	Yes	Yes		NAV-900 installations do not support Yield Monitoring	11	15.0 / 24.1	22.0 / 35.4	10	38		
Clas	Lenox	730, 740, 750, 760, 770, 780	Guidance Ready, CAN, Open Steering Interface	Autoguide Ready Install, CAN, OSI	5403S-5046		5403B-42	N/A	62034	No	Yes	Yes		For installations using the Open Steering Interface (OSI) an additional unlock direct from local CLAAS Dealer is required. NAV-900 installations do not support Yield Monitoring. Regional variations and options exist. Ensure vehicle and antenna measurements are accurate at install	13.45	15.0 / 24.1	22.0 / 35.4	10	38		
Clas	Lenox	8600, 8700, 8800	Guidance Ready, CAN, Open Steering Interface	Autoguide Ready Install, CAN, OSI	5403S-5046		5403B-42	N/A	62034	No	Yes	Yes		For installations using the Open Steering Interface (OSI) an additional unlock direct from local CLAAS Dealer is required. NAV-900 installations do not support Yield Monitoring. Regional variations and options exist. Ensure vehicle and antenna measurements are accurate at install	13.45	15.0 / 24.1	22.0 / 35.4	10	38		
Clas	Lenox	7400, 7500	Guidance Ready, CAN, Open Steering Interface	Autoguide Ready Install, CAN, OSI	5403S-5046		5403B-42	N/A	62034	No	Yes	Yes		For installations using the Open Steering Interface (OSI) an additional unlock direct from local CLAAS Dealer is required. NAV-900 installations do not support Yield Monitoring. Regional variations and options exist. Ensure vehicle and antenna measurements are accurate at install	13.45	15.0 / 24.1	22.0 / 35.4	10	38		
Clas	Lenox	670	2011-2012	Hydraulic	5403B-41		5403B-41	84635	62034	Yes	Yes	Yes		Clas Lenox 7000 CAN RG-100 OTT TT L&T vbb	13.45	15.0 / 24.1	22.0 / 35.4	15	40		
Clas	Lenox	670	2013+	Hydraulic	5403B-41		5403B-41	91572	62034	Yes	Yes	Yes		Clas Lenox 700 Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	15	40		
Clas	Lenox	730, 740, 750, 760, 770, 780	2011-2012	Hydraulic	5403B-41		5403B-41	84635	62034	Yes	Yes	Yes		Clas Lenox 700 Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	15	40		
Clas	Lenox	730, 740, 750, 760, 770, 780	2013+	Hydraulic	5403B-41		5403B-41	91572	62034	Yes	Yes	Yes		Clas Lenox 700 Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	15	40		
Fendt	X	9470X, 9470XAL	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	5403S-5062		5403B-62	N/A	9026B or 62034	No	Yes	Yes		For NAV-900 install, the machine must have the Topbox connector	6	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
Fendt	IDEAL	7, 8, 9, 10	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	5403S-5085		5403B-85	N/A	9026B or 62034	No	Yes	Yes		Fendt IDEAL CAN Combine RG-100 vbb	13.75	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
Gleaner	A	A66, A76, A86	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	5403S-5062		5403B-62	N/A	9026B or 62034	No	Yes	Yes		AGCO Gleaner A CAN Combine RG100 vbb	6	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
Gleaner	S	567, 577	Auto-Guide Ready, CAN, Serial Number BHTV6101-BHTV9999	Autoguide Ready Install, CAN	5403S-5062		5403B-62	N/A	9026B or 62034	No	Yes	Yes		AGCO Gleaner S CAN Combine RG100 vbb	6	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
Gleaner	S	567, 577, 568, 578, 588	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	5403S-5062		5403B-62	N/A	9026B or 62034	No	Yes	Yes		AGCO Gleaner S CAN Combine RG100 vbb	6	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
Gleaner	59	596, 597, 598	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	5403S-5085		5403B-85	N/A	9026B or 62034	No	Yes	Yes		AGCO Gleaner 59 RG-100 vbb	13.75	10.0 / 16.1	14.5 / 23.4	N/A	N/A		
John Deere	575 9500	9650, 9750	Base Model	Hydraulic	5403B-11	58648	53676	No	Yes	Yes				Grain bin adapter 55483	6	15.0 / 24.1	22.0 / 35.4	9	45		
John Deere	575 9500	9450, 9550, 9650, 9750	Base Model	Autopilot Motor Drive	78100-05-RS		N/A	53676	No	Yes	Yes			Deere960_APM0 vbb	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	9000	9400, 9500, 9600	Base Model	Autopilot Motor Drive	78100-05-RS		N/A	53676	No	Yes	Yes			Deere960_APM0 vbb	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	9010	9410, 9510, 9610	Base Model	Autopilot Motor Drive	78100-05-RS		N/A	53676	No	Yes	Yes			Deere960_APM0 vbb	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	575 9600	9560, 9660, 9760, 9860	Base Model	Hydraulic	5403B-11	58648	53676	Yes	Yes	Yes				JD 9540, 9640 STS Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	9	45		
John Deere	575 9600	9560, 9660, 9760, 9860	Base Model	Autopilot Motor Drive	78100-05-RS		N/A	53676	No	Yes	Yes			Grain bin adapter 55483	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	575 9600	9570, 9670, 9770, 9870	Base Model	Hydraulic	5403B-11	58648	53676	Yes	Yes	Yes				JD 9540, 9640 STS Combine RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	9	45		
John Deere	575 9600	9570, 9670, 9770, 9870	Base Model	Autopilot Motor Drive	78100-05-RS		N/A	53676	No	Yes	Yes			Grain bin adapter 55483	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	575 9600	9560, 9660, 9760, 9860	AutoTrac Ready	Autoguide Ready Install, Direct Connect	5403B-12		5403B-12	N/A	84804 or 53676	Yes	Yes	Yes		Grain bin adapter 55483	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	575 9600	9570, 9670, 9770, 9870	AutoTrac Ready	Autoguide Ready Install, Direct Connect	5403B-12		5403B-12	N/A	84804 or 53676	Yes	Yes	Yes		Grain bin adapter 55483	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	575 9600	9570, 9670, 9770, 9870	AutoTrac Ready, 2010+	Autoguide Ready Install, Direct Connect	5403B-12		5403B-12	N/A	84804 or 53676	Yes	Yes	Yes		Grain bin adapter 55483	13.7	10.0 / 16.1	18.0 / 29.0	20	12.5		
John Deere	S	5550, 5650, 5660, 5670	AutoTrac Ready	Autoguide Ready Install, Direct Connect	5403B-12		5403B-12	N/A	84804 or 66774 or 62034	Yes	Yes	Yes		JDAT 9670 STS Combine 2010 RG100 vbb	6	15.0 / 24.1	22.0 / 35.4	8	9		
John Deere	S	5550, 5650, 5660, 5670, 5680, 5690	Model Year 2012+	Autopilot Motor Drive	78100-81-RS		N/A	62034	No	Yes	No			JD 5550, 600 APM0 vbb	13.45	10.0 / 16.1	18.0 / 29.0	15	12		
John Deere	S																				

Make	Series	Models	Vehicle Options	Amplifier Options	Platform Kit or Competitor Kit	Base Kit	Antenna Bracket	VDM-912 Available?	Overhaul Available?	Northwest Available?	Northwest Corner?	Northwest Corner Platform Kit	Northwest Corner Notes	Notes	YDR	Minimum Fwy	Engine Speed	Max Speed	Pages	Readers
AgChem	Terratrator	8104, 8144	Base Model	Hydraulic, JC fittings		54037-44	63566	55348	Yes	Yes	Yes	Yes	Terratrator 8104.vyb		5.15	30.2 / 48.6	30.2 / 48.6	15	45	
AgChem	Terratrator	8204, 8244	Base Model	Hydraulic, JC fittings		54037-44	63568	55348	Yes	Yes	Yes	Yes	Terratrator 8104.vyb		5.15	30.2 / 48.6	30.2 / 48.6	15	45	
AgChem	Terratrator	8204, 8244	Base Model	Hydraulic, ORS fittings		54037-44	77022	55348	Yes	Yes	Yes	Yes	Terratrator 8104.vyb		5.15	30.2 / 48.6	30.2 / 48.6	15	45	
AgChem	Terratrator	6103	Base Model	Hydraulic, JC fittings		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	6203	Base Model	Hydraulic, JC fittings		54037-44	63568	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	6303	Base Model	Hydraulic, ORS fittings		54037-44	77022	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8303	Base Model	Hydraulic, ORS fittings		54037-44	82739	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8203	Base Model	Hydraulic, JC fittings		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8203	Base Model	Hydraulic, JC fittings		54037-44	63568	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8203	Base Model	Hydraulic, ORS fittings		54037-44	77022	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8303	Base Model	Hydraulic, ORS fittings		54037-44	82739	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	TG	TG7000, TG8000	Base Model	Hydraulic		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	TG B	TG7000X, TG8000X, TG6558	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN		54037-47	N/A	55348	No	Yes	Yes	Yes	For NAV-9000 installs, the machine must have the TopDoc connector	Terratrator TG7000_9000R AGR.vyb	6	30.2 / 48.6	30.2 / 48.6	5	5	
AgChem	TG	9100, 9200, 9203, 9205	Base Model	Hydraulic, JC fittings		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 9203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	16	40	
AgChem	TG	TG9300	Base Model	Hydraulic		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 9203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	18	40	
AgChem	TG B	TG9300X	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN		54037-47	N/A	55348	No	Yes	Yes	Yes	For NAV-9000 installs, the machine must have the TopDoc connector	Terratrator TG7000_9000R AGR.vyb	6	30.2 / 48.6	30.2 / 48.6	5	5	
Case IH	FLX 3000	3010, 3020	Base Model	Hydraulic		54037-62	57096	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 3000_3520.vyb		5.13	30.2 / 48.6	30.2 / 48.6	17	36	
Case IH	FLX 3500	3510, 3520	Base Model	Hydraulic		54037-62	57096	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 3000_3520.vyb		5.13	30.2 / 48.6	30.2 / 48.6	17	36	
Case IH	FLX 4000	4010, 4020	Base Model	Hydraulic		54037-62	55907	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 4000_4520.vyb		5.16	12.0 / 19.3	30.0 / 48.3	25	36	
Case IH	FLX 4500	4510, 4520	Base Model	Hydraulic		54037-62	55907	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 4000_4520.vyb		5.16	12.0 / 19.3	30.0 / 48.3	25	36	
Case IH	FLX 4000	4010, 4040	Accutrigable Ready	Autoguide Ready Install		64425 -28	84425 -28	N/A	No	Yes	Yes	Yes								

Make	Series	Models	Vehicle Options	Amplifier Options	Platform Kit or Competitor Kit	Base Kit	Antenna Bracket	VDM-912 Available?	Overhaul Available?	Northwest Available?	Northwest Corner?	Northwest Corner Platform Kit	Northwest Corner Notes	Notes	YDR	Minimum Fwy	Engine Speed	Max Speed	Pages	Readers
AgChem	Terratrator	8104, 8144	Base Model	Hydraulic, JC fittings		54037-44	63566	55348	Yes	Yes	Yes	Yes	Terratrator 8104.vyb		5.15	30.2 / 48.6	30.2 / 48.6	15	45	
AgChem	Terratrator	8204, 8244	Base Model	Hydraulic, JC fittings		54037-44	63568	55348	Yes	Yes	Yes	Yes	Terratrator 8104.vyb		5.15	30.2 / 48.6	30.2 / 48.6	15	45	
AgChem	Terratrator	8204, 8244	Base Model	Hydraulic, ORS fittings		54037-44	77022	55348	Yes	Yes	Yes	Yes	Terratrator 8104.vyb		5.15	30.2 / 48.6	30.2 / 48.6	15	45	
AgChem	Terratrator	6103	Base Model	Hydraulic, JC fittings		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	6203	Base Model	Hydraulic, JC fittings		54037-44	63568	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	6303	Base Model	Hydraulic, ORS fittings		54037-44	77022	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8303	Base Model	Hydraulic, ORS fittings		54037-44	82739	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8203	Base Model	Hydraulic, JC fittings		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8203	Base Model	Hydraulic, JC fittings		54037-44	63568	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8203	Base Model	Hydraulic, ORS fittings		54037-44	77022	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	Terratrator	8303	Base Model	Hydraulic, ORS fittings		54037-44	82739	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	TG	TG7000, TG8000	Base Model	Hydraulic		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 8203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	17	40	
AgChem	TG B	TG7000X, TG8000X, TG6558	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN		54037-47	N/A	55348	No	Yes	Yes	Yes	For NAV-9000 installs, the machine must have the Toploc connector	Terratrator TG7000_9000R AGR.vyb	6	30.2 / 48.6	30.2 / 48.6	5	5	
AgChem	TG	9100, 9200, 9201, 9205	Base Model	Hydraulic, JC fittings		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 9203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	16	40	
AgChem	TG	TG9300	Base Model	Hydraulic		54037-44	66456	55348	Yes	Yes	Yes	Yes	Terratrator 9203.vyb		5.15	30.2 / 48.6	30.2 / 48.6	18	40	
AgChem	TG B	TG9300X	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN		54037-47	N/A	55348	No	Yes	Yes	Yes	For NAV-9000 installs, the machine must have the Toploc connector	Terratrator TG7000_9000R AGR.vyb	6	30.2 / 48.6	30.2 / 48.6	5	5	
Case IH	FLX 3000	3010, 3020	Base Model	Hydraulic		54037-62	57096	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 3000_3520.vyb		5.13	30.2 / 48.6	30.2 / 48.6	17	36	
Case IH	FLX 3500	3510, 3520	Base Model	Hydraulic		54037-62	57096	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 3000_3520.vyb		5.13	30.2 / 48.6	30.2 / 48.6	17	36	
Case IH	FLX 4000	4001, 4020	Base Model	Hydraulic		54037-62	55907	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 4000_4520.vyb		5.16	12.0 / 19.3	30.0 / 48.3	25	36	
Case IH	FLX 4000	4010, 4020	Base Model	Hydraulic		54037-62	55907	62034 or 53676	Yes	Yes	Yes	Yes	CH FLX 4000_4520.vyb		5.16	12.0 / 19.3	30.0 / 48.3	25	36	
Case IH	FLX 4000	4040, 4040	Accutrig Ready	Autoguide Ready Install		64425-28	N/A	62034 or 53676	No	Yes	Yes	Yes	Hybrid cabling provided in controller kit	CHMAG FLX 4x30.vyb	5.23	30.2 / 48.6	30.0 / 48.3	10	30	
Case IH	FLX 4300	4300, 4375	Base Model	Autopilot Motor Drive		78100-68-8R	N/A	N/A	No	Yes	Yes	Yes	Hybrid cabling provided in controller kit	CH FLX 43XX_APMD.vyb	13.7	30.2 / 48.6	30.2 / 48.6	16.5	10.5	
Case IH	FLX 4300	4530, 4540	Accutrig Ready	Autoguide Ready Install		64425-28	N/A	62034 or 53676	No	Yes	Yes	Yes	Hybrid cabling provided in controller kit	CHMAG FLX 4x30.vyb	5.23	30.2 / 48.6	30.0 / 48.3	10	30	

Make	Series	Models	Vehicle Options	Assemble Options	Platform Kit or Competitor Kit	Flow Kit	Antenna Bracket	YDM-912 Available?	Onboard Camera?	Nextwork Available?	Nextwork Connect?	Nextwork Platform Kit	Nextwork Connect Notes	Notes	YDR	Minimum Fw	Engage Speed	Max Speed	Paye	Discount	
Cane Ht	AutoTrk	8800	Tracked	Autoguide Ready Install, CAN			54038-51	N/A	62034 or 62388-02	No	No	No		Reverse Operation not allowed	CH 8800 Sugar Cane Harvesters vtl	5.16	4.0 / 6.4	6.0 / 9.7	N/A	N/A	
Cane Ht	AutoTrk	7700	Tracked	Hydraulic			54038-50	50825	62034 or 62388-02	No	No	No			AutoTrk 7700 Cane Harvesters vtl	5.25	10.0 / 16.1	10.0 / 16.1	8	5	
Class	Jaguar	830, 850, 930, 940, 950, 960, 970, 980	Base Model	Hydraulic, Flow Switch			54038-70	77215	62034 or 62388-02	Yes	Yes	Yes			Class Jaguar 900_980F's vtl	5.26	15.0 / 24.1	22.0 / 35.4	15	30	
Class	Jaguar	840, 850, 860, 870, 880, 980, 970, 960, 950, 940, 930	Guidance Ready, CAN	Autoguide Ready Install, CAN			54036-5046		62034 or 62388-02	No	Yes	Yes		NAV 900 installations do not support Yield Monitoring	Class Jaguar CAN RG-100 vtl	11.00	15.0 / 24.1	22.0 / 35.4	8	38	
Class	Jaguar	840, 850, 860, 870, 880, 980, 970, 960, 950, 940, 930	Guidance Ready, CAN, Open Steering Interface	Autoguide Ready Install, CAN, OSI			54036-5046		62034 or 62388-02	No	Yes	Yes		For CLASS installations using the Open Steering Interface (OSI) it requires the installer to purchase an additional unlock direct from their local CLASS Dealer. NAV 900 installations do not support Yield Monitoring	Class Jaguar CAN RG-100 OSI vtl	13.45	15.0 / 24.1	22.0 / 35.4	8	38	
Class	Pea Harvester	PTC 156	Base Model	Hydraulic, Flow Switch			54038-70	77215	62034 or 62388-02	Yes	Yes	Yes			Class Jaguar RG-100F's vtl	5.26	15.0 / 24.1	22.0 / 35.4	15	30	
Class	Pea Harvester	PTC 156	Base Model	Hydraulic			54038-90	92261	62034 or 62388-02	Yes	Yes	Yes			Onbo Pea Harvester FMC PNC vtl	6.00	15.0 / 24.1	22.0 / 35.4	9.5	50	
John Deere	3550	3500, 3510	Tracked, SU-200	SU-200 Install			54038-82	N/A	62034 or 62388-02	No	No	No		Tracked Machine only, SU-200 kits are only available in NA and LATAM sales regions	ID 3510 SugarCane Harvester SU's vtl	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18	
John Deere	3520	3520, 3522	Tracked	SU-200 Install			54038-82	N/A	62034 or 62388-02	No	No	No		Tracked Machine only, SU-200 kits are only available in NA and LATAM sales regions	JDAT 3520 Sugar Cane Harvesters vtl	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18	
John Deere	3520	3520, 3522	Tracked	SU-200 Install, Low Engage Aggression			54038-82	N/A	62034 or 62388-02	No	No	No		Tracked Machine only, SU-200 kits are only available in NA and LATAM sales regions	JDAT 3520_3522 Low Engage Agrv vtl	6.00	15.0 / 24.1	22.0 / 35.4	9.5	18	
John Deere	CH	CH570, CH670	Tracked, Up to Serial Number 180338	SU-200 Install, Low Engage Aggression			54038-82	N/A	62034 or 62388-02	No	No	No		Tracked Machine only, SU-200 kits are only available in NA and LATAM sales regions	JDAT CH570_670 Low Engage Agrv vtl	6.00	10.0 / 16.1	18.0 / 29.0	N/A	18	
John Deere	CH	CH570, CH670	Tracked, Serial Number 180339+; AutoTrac Ready	Autoguide Ready Install, CAN			N/A	N/A		No	Yes	Yes		Tracked Machine only	JDAT CH570_670 vtl	15.20	10.0 / 16.1	18.0 / 29.0	5	N/A	
John Deere	CH	CH570, CH670	Tracked, Up to Serial Number 180338	SU-200 Install, Limited Engage			54038-82	N/A	62034 or 62388-02	No	No	No		Tracked Machine only	JDAT CH570_Limited Engage vtl	13.77	10.0 / 16.1	18.0 / 29.0	N/A	18	
John Deere	CH	CH570, CH670	Tracked, Up to Serial Number 180338	SU-200 Install			54038-82	N/A	62034 or 62388-02	No	No	No		Tracked Machine only, SU-200 kits are only available in NA and LATAM sales regions	JDAT CH570_670 vtl	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18	
John Deere	7760 Picker	7760	AutoTrac Ready, 2012+	Autoguide Ready Install, Direct Connect			54038-35	N/A	62034 or 62388-02	No	Yes	Yes			JDAT 7760 2012 vtl	6.00	15.0 / 24.1	22.0 / 35.4	9	8	
John Deere	CS	690	AutoTrac Ready Install, Direct Connect	Autoguide Ready Install, Direct Connect			54038-35	N/A	62034 or 62388-02	No	Yes	Yes			JDAT CS690 vtl	6.00	15.0 / 24.1	22.0 / 35.4	9	8	
John Deere	7760 Picker	7760	AutoTrac Ready	Autoguide Ready Install, Direct Connect			54038-35	N/A	62034 or 62388-02	Yes	Yes	Yes			JDAT 7760_99XX Cotton Pickers vtl	6.00	15.0 / 24.1	22.0 / 35.4	9	8	
John Deere	99XX Picker	9986, 9996	AutoTrac Ready	Autoguide Ready Install, Direct Connect			54038-35	N/A	62034 or 62388-02	Yes	Yes	Yes			JDAT 7760_99XX Cotton Pickers vtl	6.00	15.0 / 24.1	22.0 / 35.4	9	8	
John Deere	8000	8100, 8200, 8300, 8400, 8500, 8600	AutoTrac Ready	Autoguide Ready Install, Direct Connect			54038-14	N/A	62034	No	Yes	Yes			JDAT 8000 Forage Harvesters vtl	13.30	15.0 / 24.1	22.0 / 35.4	15	25	
									62034 for all models or 89743-00 for Big M 420 mowers or 89744-00 for M 500 mowers	No	Yes	Yes									
Krone	BIG M	BIG M 420, BIG M 450, BIG M 500	ISO Ready	Autoguide Ready Install, CAN			54038-5071		62034 for all models or 89743-00 for all models	No	Yes	Yes			Krone BIG M420 ISO vtl	6.00	10.0 / 16.1	18.0 / 29.0	N/A	N/A	
Krone	BIG X	BIG X 500, BIG X 700, BIG X 850, BIG X 1100	ISO Ready	Autoguide Ready Install, CAN			54038-5071		62034 for all models or 89743-00 for all models	No	Yes	Yes			Krone BIG X 500-1100 vtl	6.00	10.0 / 16.1	18.0 / 29.0	N/A	N/A	
Krone	BIG X	BIG X 480, BIG X 580	ISO Ready	Autoguide Ready Install, CAN			54038-5071		62034 for all models or 89743-00 for all models	No	Yes	Yes			Krone BIG X ISO 480-580 vtl	6.00	10.0 / 16.1	18.0 / 29.0	N/A	N/A	
New Holland	FR	FR450, FR500, FR600, FR700, FR850	Intellizeer Ready	Autoguide Ready Install		64425-28	64425-27	N/A	62034	No	Yes	Yes			NHS Forage harvesters vtl	11.00	12.0 / 19.3	18.0 / 29.0	10	34	
New Holland	FR Cultivar	FR480, FR550, FR600, FR780, FR850	Intellizeer Ready	Autoguide Ready Install		64425-28	64425-28	N/A	62034	No	Yes	Yes			NHS Forage harvesters vtl	11.00	12.0 / 19.3	18.0 / 29.0	10	34	
Onbo	Pea Harvester	6160, 6165	With John Deere Cab	Hydraulic			54038-90	92261	62034 or 53675 (spg)	Yes	Yes	Yes			Onbo Pea Harvester FMC PNC vtl	6.00	15.0 / 24.1	22.0 / 35.4	9.5	50	
Onbo	Pea Harvester	989, 1089	Base Model	Hydraulic			54038-90	92261	62034 or 62388-02	Yes	Yes	Yes			Onbo Pea Harvester FMC PNC vtl	6.00	15.0 / 24.1	22.0 / 35.4	9.5	50	
									62034 for all models or 89743-00 for Big M 420 mowers or 89744-00 for M 500 mowers	No	Yes	Yes									
Valtra	BE1035	1 Line, 2 Line, Seedlings	Auto-Guide Ready	Autoguide Ready Install, CAN			54035-5062	N/A	N/A	N/A	111340	No	Yes	Yes	For NAV 900 install, the machine must have the TopDoc connector, NAV 900 mounting bracket included in kit	ValtraBE1035 AGS vtl	13.50	10.0 / 16.1	10.0 / 16.1	15	N/A

MFWD		Make	Series	Models	Vehicle Options	Autopilot Options	Platform Kit or Completion Kit		Row Kit	Antenna Bracket	V-MOM #12 Available?	Swath Available?	Swathwork Available?	Swathwork Connect?	Swathwork Connect Interface Kit	Swathwork Connect Notes	Notes	YDR	Minimum PW	Engage Speed	Max Speed	Pans	Deadends			
AGCO	DT A	DT180A, DT200A, DT220A, DT240A	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54039-62	N/A	53676 or 62388-02 or 62034	No	Yes	Yes	Yes	Yes	Yes	Yes	For NAV900 installs, the machine must have the Tractor connector	AGCO AG DT90D, RT90D CAN v6b	5.16	10.0 / 16.1	14.5 / 21.4	N/A	N/A				
AGCO	DT B	DT209B, DT219B, DT230B, DT231B	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54039-62	N/A	53676 or 62388-02 or 62034	No	Yes	Yes	Yes	Yes	Yes	Yes	For NAV900 installs, the machine must have the Tractor connector	AGCO AG DT90D, RT90D CAN v6b	5.16	10.0 / 16.1	14.5 / 21.4	N/A	N/A				
AGCO	DT	DT160, DT180, DT200, DT220, DT225, DT240	Base Model, Serial Number N307031+	Autopilot Motor Drive	78100-14-RS	78039-62		62034	No	Yes	Yes	Yes	Yes	Yes	Yes		AGCO DT 160, 240 APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	11.8	10				
AGCO	RT	RT130A, RT130B, RT140A, RT155A, RT165A, RT180A	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54039-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes	For NAV900 installs, the machine must have the Tractor connector	AGCO AG DT90D, RT90D CAN v6b	5.16	10.0 / 16.1	14.5 / 21.4	N/A	N/A				
AGCO	RT A	RT100A, RT120A, RT140A, RT155A, RT165A	Base Model	Hydraulic	54035-1045	54039-1045	58856-1000	13676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		AGCO RT 100, 150 APMD v6b	13.45	15.0 / 24.1	18.0 / 29.0	8	35				
AGCO	RT A	RT100A, RT120A, RT140A, RT155A, RT165A	Base Model, Serial Number N307031+	Autopilot Motor Drive	78100-14-RS	78039-62		53676	No	Yes	Yes	Yes	Yes	Yes	Yes		AGCO RT 100, 150 APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10				
AGCO	DT A	DT180A, DT200A, DT220A, DT240A	Base Model	Hydraulic	54035-1045	54039-1045	58856-1000	13676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		AGCO DT 160, 240 APMD v6b	13.45	15.0 / 24.1	18.0 / 29.0	13.5	10				
AGCO	DT A	DT180A, DT200A, DT220A, DT240A	Base Model, Serial Number N307031+	Autopilot Motor Drive	78100-14-RS	78039-62		62034	No	Yes	Yes	Yes	Yes	Yes	Yes		AGCO DT 160, 240 APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	11.8	10				
Belarus	MTZ	900, 920, 952, 1005, 1203, 1221, 82.1, 1221.2	Base Model	Hydraulic	54039-173	90537		53676 or 62388-02 or 62034	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Belarus MTZ 900-1200 v6b	13.45	10.0 / 16.1	18.0 / 29.0	18	35				
Belarus	MTZ	900, 920, 952, 1005, 1203, 1221, 82.1, 1221.2	Base Model	Autopilot Motor Drive	78100-36-RS	78035-173		53676 or 62388-02 or 62034	No	Yes	No	Yes	No	Yes	Yes		Belarus MTZ 82, 1221 APMD v6b	12.00	10.0 / 16.1	18.0 / 29.0	15	11				
Buhler-Versatile	Genesis	2145, 2160, 2180, 2210	Base Model	Hydraulic	54039-1090	62759-1000		62034 or 62388-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Buhler 2145, 2210 Genesis v6b	13.45	10.0 / 16.1	18.0 / 29.0	15	10				
Buhler-Versatile	Versatile	260, 290, 310	Auto-Guide Ready, With Factory Plot head	Autoguide Ready Install	54039-1090	83158-1000		62034 or 62388-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Versatile 190-305 v5 v6b	13.45	10.0 / 16.1	18.0 / 29.0	6.5	50				
Buhler-Versatile	Versatile	260, 290, 310	Auto-Guide Ready, Without Factory Plot head	Autoguide Ready Install	N/A			62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes		Versatile AGM MFWD v6b	13.45	15.0 / 24.1	22.0 / 35.4	7	10				
Buhler-Versatile	Versatile	260, 290, 310	Auto-Guide Ready	Autoguide Ready Install, GFX Series, CFX-700 or Fink install	54039-110			62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes		Versatile Factory AGM MFWD v6b	6.00	15.0 / 24.1	22.0 / 35.4	7	10				
Buhler-Versatile	Versatile	260, 290, 310	Auto-Guide Ready, Factory Ready	Autoguide Ready Install, TBM-2000 install	54039-111			62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes		Versatile Factory AGM MFWD v6b	6.00	15.0 / 24.1	22.0 / 35.4	7	10				
Buhler-Versatile	Versatile	175, 190, 210	Auto-Guide Ready	Autoguide Ready Install	54039-111	N/A	N/A	62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes		Versatile Genesis 175-210 v6b	13.70	15.0 / 24.1	22.0 / 35.4	8	12				
Buhler-Versatile	Versatile	260, 245, 290, 295, 310, 315	Base Model	Autopilot Motor Drive	78100-53-RS	N/A	N/A	62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes		Versatile 260-315 APMD v6b	13.45	10.0 / 16.1	18.0 / 29.0	18	10				
Buhler-Versatile	Versatile	190, 220, 250, 280, 305	SuperSteer, Pre March 2010	Hydraulic	54039-1090	62759-1000		62034 or 62388-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Versatile 190-305 v5 v6b	13.45	10.0 / 16.1	18.0 / 29.0	6.5	50				
Buhler-Versatile	Versatile	190, 220, 250, 280, 305	SuperSteer, March 2010 +	Hydraulic	54039-1090	83158-1000		62034 or 62388-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Versatile 190-305 v5 v6b	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10				
Case IH	Magnum	7230, 7230, 7230, 7240, 7250	Base Model, MFWD	Hydraulic	54035-23	59148		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case IH 7430, 7450 Magnum APMD v6b	13.45	10.0 / 16.1	18.0 / 29.0	15	34				
Case IH	Magnum	7230, 7230, 7230, 7240, 7250	Base Model	Autopilot Motor Drive	78100-16-RS	78039-23	N/A	62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Case IH 7430, 7450 Magnum APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	11.8	10				
Case IH	Magnum	7230, 7230, 7230, 7240	Base Model	Hydraulic	54035-24	59149		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case IH 7430, 7450 Magnum APMD v6b	13.45	10.0 / 16.1	18.0 / 29.0	15	34				
Case IH	Magnum	8930, 8920, 8930, 8940, 8950	Base Model, MFWD	Hydraulic	54035-24	59149		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case IH 8920, 8950 Magnum APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	11.8	10				
Case IH	Magnum	8930, 8920, 8930, 8940, 8950	Base Model	Autopilot Motor Drive	78100-16-RS	78039-23	N/A	62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Case IH 8920, 8950 Magnum APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	11.8	10				
Case IH	CVK	1135, 1145, 1155	Base Model	Hydraulic	54039-28	59787		55685-00 (mag mount)	Yes	Yes	Yes	Yes	Yes	Yes	Yes		For bolt on roof bracket see PN 59786 in instruction manual	Case CVK 1135, v5 v6b	13.45	10.0 / 16.1	18.0 / 29.0	20	30			
Case IH	CVK	130, 150, 170	pre 2005	Hydraulic	54039-28	59787		55685-00 (mag mount)	Yes	Yes	Yes	Yes	Yes	Yes	Yes		For bolt on roof bracket see PN 59786 in instruction manual	Case CVK 1135, v5 v6b	13.45	10.0 / 16.1	18.0 / 29.0	20	30			
Case IH	CVK	1170, 1190, 1195	Base Model	Hydraulic	54039-28	59787		55685-00 (mag mount)	Yes	Yes	Yes	Yes	Yes	Yes	Yes		For bolt on roof bracket see PN 59786 in instruction manual	Case CVK 1170, v5 v6b	13.45	10.0 / 16.1	18.0 / 29.0	20	30			
Case IH	CVK	140, 150, 140	Base Model	Hydraulic	54039-53	65578		62388-02 (V plate) or 55685-00 (Magnetic mounting kit)	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case CVK 140, 160 v6b	13.45	10.0 / 16.1	18.0 / 29.0	15	40				
Case IH	CVK	175, 195	Base Model	Hydraulic	54039-53	65578		62388-02 (V plate) or 55685-00 (Magnetic mounting kit)	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case CVK 175, 195 v6b	13.45	10.0 / 16.1	18.0 / 29.0	15	40				
Case IH	Farmall U	80U, 95U, 105U	2008 Early 2012	Hydraulic	54039-50	77422		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Farmall U Pro Series not supported	Case Farmall JXU v6b	13.45	10.0 / 16.1	18.0 / 29.0	7	40			
Case IH	Farmall U 74A	80U, 95U, 105U	June 2012-2016 Efficient Power Closed Cab Models	Hydraulic	54039-50	77422		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Farmall U Pro Series not supported	Case Farmall JXU v6b	13.45	10.0 / 16.1	18.0 / 29.0	7	40			
Case IH	Farmall U 74A	80U, 95U, 105U	2008 Early 2012	Autopilot Motor Drive	78100-32-RS	78039-122	N/A	62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Farmall U Pro Series not supported	Case Farmall U 85, 105 APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	15	11			
Case IH	Farmall U 74A	105U, 115U	Late 2012-2016 Efficient Power Closed Cab Models	Hydraulic	54039-152	N/A		62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Farmall U Pro Series not supported	Case Farmall U 85, 105 APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	15	11			
Case IH	Farmall U T4B	110U, 120U	Model Year 2017+, Closed Cab Models	Autopilot Motor Drive	78100-50-RS	N/A		62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Case Farmall U T4B 110, 120 APMD v6b	13.45	12.0 / 19.3	18.0 / 29.0	15	11				
Case IH	Farmall U T4B	700X, 750X, 800X, 900X, 1000X, 1100X	Base Model	Autopilot Motor Drive	78100-97-RS	N/A		62034 or 53676	No	Yes	No	Yes	No	Yes	Yes		Case Farmall X70, 110 APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	23	10				
Case IH	Vestrum T4B CVK Drive	100, 110, 120, 130	Accuguide Ready, CVT, CAN	Autoguide Ready Install, CAN	54035-5028	64425-27	N/A	62034	No	Yes	No	Yes	No	Yes	Yes		CHAG Vestrum CVK 100, 130 v6b	13.45	15.0 / 24.1	22.0 / 35.4	7	N/A				
Case IH	Farmall N	70N, 90N, 100N	Base Model	Hydraulic	54039-153	97073		62034	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case Farmall N V_Tractor v6b	13.45	10.0 / 16.1	18.0 / 29.0	4	36				
Case IH	Farmall V	105V	Base Model	Hydraulic	54039-153	97073		62034	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case Farmall N V_Tractor v6b	13.45	10.0 / 16.1	18.0 / 29.0	4	36				
Case IH	Farmall C	85C, 95C, 105C	Straddle Deck Model	Hydraulic	54039-150	93345		62034 or 62388-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case FARMALL C 75-105 v6b	13.45	10.0 / 16.1	18.0 / 29.0	5	30				
Case IH	Farmall C Utility T4A	85C, 95C, 105C, 115C	Flat Deck model up to 2016, Closed Cab Models	Hydraulic	54039-152	96349		62034 or 62388-02	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case Farmall 85C, 115C v6b	13.45	15.0 / 24.1	22.0 / 35.4	6	30				
Case IH	Farmall C Utility T4A	85C, 95C, 105C, 115C	Flat Deck model up to 2016, Closed Cab Models	Autopilot Motor Drive	78100-49-RS	78039-152	N/A	62034 or 62388-02	No	Yes	Yes	Yes	Yes	Yes	Yes		Case Farmall C Flatdeck, APMD v6b	12.00	15.0 / 24.1	18.0 / 29.0	15	11				
Case IH	JXU	1080U, 1090U, 1200U	Base Model	Hydraulic	54039-50	77422		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case Farmall JXU v6b	13.45	10.0 / 16.1	18.0 / 29.0	7	40				
Case IH	JXU	1080U, 1090U, 1200U	Base Model	Autopilot Motor Drive	78100-32-RS	78039-122	N/A	62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Case JXU 90, 110U APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	15	11				
Case IH	JXU	80U, 90U, 100U	Base Model	Autopilot Motor Drive	78100-32-RS	78039-122	N/A	62034 or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		Case JXU 90, 110U APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	15	11				
Case IH	MX (1997-2002)	MX100, MX110, MX120, MX135, MX150, MX170	Base Model	Hydraulic	54039-195	90733		62388-02, 62034, or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		1997-2002	Case MX 100, 170 Tractor v6b	13.45	10.0 / 16.1	18.0 / 29.0	9	44			
Case IH	MX (1997-2002)	MX100, MX110, MX120, MX135, MX150, MX170	Base Model	Autopilot Motor Drive	78100-02-RS	78039-125		62388-02, 62034, or 53676	No	Yes	Yes	Yes	Yes	Yes	Yes		1997-2002	Case MX Maxum APMD v6b	12.00	12.0 / 19.3	18.0 / 29.0	15	11			
Case IH	MX Magnum	MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX270, MX275, MX285, MX305	Base Model	Hydraulic, Flow Switch	54039-1125	67097-1000		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case IH and New Holland tractors must have analog End of Row turn button	Case IH and New Holland tractors must have analog End of Row turn button	FS = Flow Switch, PT = Pressure Transducer	Case MX 180, 305 v5 v6b	13.45	15.0 / 24.1	22.0 / 35.4	11	30	
Case IH	Magnum	215, 225, 245, 275, 280, 305, 310, 335	Base Model	Hydraulic, Flow Switch	54039-1125	67097-1000		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case IH and New Holland tractors must have analog End of Row turn button	Case IH and New Holland tractors must have analog End of Row turn button	FS = Flow Switch, PT = Pressure Transducer	Case MX 180, 305 v5 v6b	13.45	15.0 / 24.1	22.0 / 35.4	11	30	
Case IH	MX Magnum	MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX270, MX275, MX285, MX305	Base Model	Hydraulic, Pressure Transducer	54039-1125	67097-1000		62034 or 53676	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Case IH and New Holland tractors must have analog End of Row turn button	Case IH and New Holland tractors must have analog End of Row turn button	FS = Flow Switch, PT = Pressure Transducer	Case MX 180, 305 v5 v6b	13.45	15.0				

Case IH	Midrange Magnum	180, 190, 230	AcquireReady, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes						Hybrid cabling provided in controller kit	CHAG Magnum 180, 230 CVT 2008 vtbl	5.15	10/0/16.1	18.0/28.0	5	25
Case IH	Midrange Magnum T4B	180, 200, 220	AcquireReady Ready Install	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes						Hybrid cabling provided in controller kit	CHAG MidrangeMag 180, 220 CVT T4B vtbl	5.15	10/0/16.1	18.0/28.0	5	25
Case IH	Midrange Magnum T4B	180, 200, 220, 240	Base Model	AcquireReady Ready Install	78030-02-RS		78030-125	N/A	62034	No	Yes	Yes						Hybrid cabling provided in controller kit	CH Midrange Magnum T4B AP4M vtbl	12.00	12/0/19.3	18.0/28.0	13.5	10
Case IH	Optum	270, 300	AcquireReady, CVT	AcquireReady Ready Install, CAN	54035-5028				62034	No	Yes	Yes						Hybrid cabling provided in controller kit	CHAG Optum 270, 300 vtbl	12.00	15/0/24.1	22.0/35.4	1.5	30
Case IH	MX	MX230, MX235, MX230, MX245, MX255, MX275, MX285, MX305	AcquireReady Ready, Standard Axle	AcquireReady Ready, Standard Axle	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 215-310 T3 Standard Axle vtbl	5.20	15/0/24.1	22.0/35.4	20	30		
Case IH	Magnum	215, 225, 245, 275, 280, 305, 310	AcquireReady Ready, Standard Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 215-310 T3 Standard Axle vtbl	5.20	15/0/24.1	22.0/35.4	20	30		
Case IH	Magnum Ter 4A	210, 220, 230, 315	AcquireReady Ready, Standard Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 215-310 T4 Standard Axle vtbl	5.20	15/0/24.1	22.0/35.4	20	30		
Case IH	Magnum Ter 4A	210, 235, 340	AcquireReady Ready, Dual HD Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 230-340 T4 Class Y Axle vtbl	5.20	15/0/24.1	22.0/35.4	20	30		
Case IH	Magnum Ter 4A	210, 315, 340, 370	AcquireReady Ready, CHN HD Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 230-370 HD CHN Axle vtbl	5.16	15/0/24.1	22.0/35.4	18	30		
Case IH	Magnum Ter 4B	310, 340, 380	AcquireReady Ready, CHN HD Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 330-380 HD CHN Axle vtbl	5.16	15/0/24.1	22.0/35.4	18	30		
Case IH	Magnum Ter 4B	250, 280, 310, 340, 380	AcquireReady Ready, Standard Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 250-340 T4B Standard Axle vtbl	5.20	15/0/24.1	22.0/35.4	1.5	25		
Case IH	Magnum Ter 4B	310 Rowstar, 340 Rowstar, 380 Rowstar	Base Model	AcquireReady Ready, CVT	78030-02-RS		78030-125	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CH Magnum T4B AP4M vtbl	12.00	12/0/19.3	18.0/28.0	18	7		
Case IH	Magnum Ter 4B Rowstar	310 Rowstar, 340 Rowstar, 380 Rowstar	Base Model	AcquireReady Ready, CVT	78030-02-RS		78030-125	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CH Magnum T4B AP4M vtbl	12.00	12/0/19.3	18.0/28.0	18	7		
Case IH	Magnum Ter 4B Rowstar	310 Rowstar, 340 Rowstar, 380 Rowstar	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum PS RCT vtbl	12.00	15/0/24.1	22.0/35.4	1.5	30		
Case IH	Magnum Ter 4B Rowstar	310 Rowstar, 340 Rowstar, 380 Rowstar	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum PS RCT vtbl	12.00	15/0/24.1	22.0/35.4	18	30		
Case IH	Magnum	335	AcquireReady Ready, HD Axle	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Magnum 335 T3 Class Y Axle vtbl	5.20	15/0/24.1	22.0/35.4	20	30		
Case IH	Connect Midrange Magnum	180, 200, 220, 240, 250	AFS Connect	AFS Connect	54035-5197		54035-197	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHMFG Magnum 180, 250 vtbl	13.85	12/0/19.3	24.2/38.0	20.0	N/A		
Case IH	AFS Connect Magnum	280, 310, 340, 380, 400	2020n+ AFS Connect	AcquireReady Ready Install, CAN	54035-5197		54035-197	N/A	62034	No	No	No	No				Vehicle must be Unlocked by CHM Dealer	CHMFG Magnum 280, 400 vtbl	13.85	12/0/19.3	24.2/38.0	N/A	N/A	
Case IH	Puma	125, 130, 140, 145, 155	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 125, 155 vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma	125, 140, 145, 155	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 125, 155, 3P vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma T4A	130, 140, 145	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 130, 160 T4A vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma T4A	130, 145, 160	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 130, 160 T4A vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma T4A	165, 180, 195, 210, 225	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 165, 210 T4A vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma T4A	130, 145, 160	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 165, 225 CVX vtbl	13.30	15/0/24.1	22.0/35.4	15	17		
Case IH	Puma T4A	130, 145, 160	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 130, 160 CVT T4A vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma T4A	130, 145, 160	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 130, 160 CVT T4A vtbl	13.30	15/0/24.1	22.0/35.4	5	23		
Case IH	Puma T4A	170, 185, 200, 215	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 170, 215 T4A vtbl	13.30	15/0/24.1	22.0/35.4	5	25		
Case IH	Puma T4A	170, 185, 200, 215, 230	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG Puma 170, 230 CVT T4A vtbl	13.30	15/0/24.1	22.0/35.4	4	25		
Case IH	Puma T4B	150, 165	AcquireReady Ready, PowerShift	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 150, 165 T4B vtbl	13.30	15/0/24.1	22.0/35.4	5	25		
Case IH	Puma T4B	150, 165	AcquireReady Ready, PowerShift, CAN	AcquireReady Ready Install, CAN	54035-5028		54035-165	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 150, 165 PS CAN vtbl	13.00	15/0/24.1	22.0/35.4	7	N/A		
Case IH	Puma T4B	150, 165, 180	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 150, 180 CVT CAN vtbl	13.00	15/0/24.1	22.0/35.4	7	N/A		
Case IH	Puma T4B	150, 165	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 150, 165 CVT T4B vtbl	13.30	15/0/24.1	22.0/35.4	5	25		
Case IH	Puma T4B	185, 200, 220, 240	AcquireReady Ready, CVT	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 185, 240 CVT T4B vtbl	13.30	15/0/24.1	22.0/35.4	4	17		
Case IH	Puma T4B	185, 200, 220, 240	AcquireReady Ready, CVT	AcquireReady Ready Install	54035-5028		54035-165	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 185, 240 CVT CAN vtbl	13.00	15/0/24.1	22.0/35.4	7	N/A		
Case IH	Puma T4B	185, 200, 220	AcquireReady Ready, PowerShift	AcquireReady Ready Install	64425-28	84425-28	64425-27	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 185, 220 T4B vtbl	13.30	15/0/24.1	22.0/35.4	5	25		
Case IH	Puma T4B	185, 200, 220	AcquireReady Ready, PowerShift, CAN	AcquireReady Ready Install, CAN	54035-5028		54035-165	N/A	62034	No	Yes	Yes	Yes	104646-60	Case H and New Holland tractors must have aning End of Row turn button	Hybrid cabling provided in controller kit	CHAG PUMA 185, 220 PS CAN vtbl	13.00	15/0/24.1	22.0/35.4	7	N/A		
Case IH	Farmall 100A T4A	110A, 120A, 125A, 140A	Base Model	Hydraulic	54035-151		54035-151	94578	62034 or 62388-02	Yes	Yes	Yes	Yes				For South American Machines, Hose Kit needs modification per RCT installation instructions	CH Farmall 100A vtbl	13.45	10/0/16.1	18.0/28.0	4.65	40	
Case IH	Farmall 100A T4A	110A, 120A, 125A, 140A	Base Model	Autopilot Motor Drive	78030-151		78030-151	62034 or 62388-02	No	Yes	Yes	Yes	Yes				Closed Cab Models	CH Farmall A 100, 140 AP4M vtbl	12.00	12/0/19.3	18.0/28.0	15	11	
Case IH	Farmall 100A T4B	110A, 120A, 130A, 140A	Base Model	Autopilot Motor Drive	78030-49-RS		78030-152	62034 or 62388-02	No	Yes	Yes	Yes	Yes				Closed Cab Models	CH Farmall A 100, 140 AP4M vtbl	12.00	12/0/19.3	18.0/28.0	15	11	
Challenger	MT 400B	MT445B, MT455B, MT465B, MT475B	Base Model	Hydraulic, Closed Center Remotes	54035-1045		54035-1045	58856-1000	62388-02, 62034, or 53676	Yes	Yes	Yes	Yes				Must have Closed Center Remotes - indicated by hose sense line on the hand pump	AGCO MT 400B AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 400B	MT455D, MT465D, MT475D, MT485D, MT495D	Closed Center Remotes	Hydraulic, Closed Center Remotes	54035-1045		54035-1045	58856-1000	62388-02, 62034, or 53676	Yes	Yes	Yes	Yes				Must have Closed Center Remotes - indicated by hose sense line on the hand pump	AGCO MT 400B AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 400B	MT425B, MT445B, MT455B, MT465B, MT475B	Base Model	Hydraulic, Open Center Remotes	54035-146		54035-146	86097	62388-02, 62034, or 53676	Yes	Yes	Yes	Yes				Must have Open Center Remotes	AGCO MT 400B AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 400B	MT425B, MT455B, MT465B, MT475B	Base Model, Serial Number N307031+	Autopilot Motor Drive	78030-146		78030-146	86097	62388-02, 62034, or 53676	No	Yes	Yes	Yes				Must have Open Center Remotes	AGCO MT 400B AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 400B	MT455D, MT465D, MT475D, MT485D, MT495D	Open Center Remotes	Hydraulic, Open Center Remotes	54035-146		54035-146	86097	62388-02, 62034, or 53676	Yes	Yes	Yes	Yes				Must have Open Center Remotes	AGCO MT 400B AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 400D	MT455D, MT465D, MT475D, MT485D, MT495D	Base Model, Serial Number N307031+	Autopilot Motor Drive	78030-146		78030-146	86097	62388-02, 62034, or 53676	No	Yes	Yes	Yes				Must have Open Center Remotes	AGCO MT 400D AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 400B	MT425B, MT445B, MT455B, MT465B, MT575B, MT585B, MT595B	French Model	Hydraulic, Open Center Remotes	54035-146		54035-146	86097	62388-02, 62034, or 53676	Yes	Yes	Yes	Yes				Must have Open Center Remotes	AGCO MT 400B AP4M vtbl	13.45	10/0/16.1	18.0/28.0	4	45	
Challenger	MT 500B	MT525B, MT535B, MT545B, MT555B, MT565B, MT575B, MT585B, MT595B	Base Model, Serial Number N307031+	Hydraulic	54035-1045		54035-1045	58856-1000	62388-02, 62034, or 53676	Yes	Yes	Yes	Yes				Must have Open Center Remotes	AGCO MT 500B AP4M vtbl	13.45	15/0/24.1	22.0/35.4	18	35	
Challenger	MT 500B	MT525B, MT5																						

Fendt	800 Vario	818, 820	Auto-Guide Ready, CAN, 2007-2010	Autoguide Ready Install, CAN	54035-5180	54035-54	N/A	62034 or 62388-02	No	Yes	Yes							FendtAG 700, 800 2007.vdb	13.45	10.0 / 16.1	18.0 / 23.0	N/A	N/A
Fendt	800 Vario	819, 822, 824, 826, 828	Auto-Guide Ready, CAN, 2011+ 2011+	Autoguide Ready Install, CAN	54035-5180	54035-57	N/A	62034 or 62388-02	No	Yes	Yes							FendtAG 800 2011.vdb	5.17	10.0 / 16.1	18.0 / 23.0	N/A	N/A
Fendt	800 Vario	819, 822, 824, 826, 828		Autoguide Ready Motor Drive	78100-21-R5	78035-51	N/A	62034 or 62388-02	No	Yes	Yes							Fendt 800 APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	15	11
Fendt	900 Vario	922, 924, 927, 930, 931, 936	Auto-Guide Ready, CAN, 2007-2010	Autoguide Ready Install, CAN	54035-5180	54035-51	N/A	62034 or 62388-02	No	Yes	Yes							FendtAG 900 2007.vdb	13.45	10.0 / 16.1	18.0 / 23.0	N/A	N/A
Fendt	900 Vario	924, 927, 930, 931, 936, 939	Auto-Guide Ready, CAN, 2011-2019	Autoguide Ready Install, CAN	54035-5180	54035-57	N/A	62034 or 62388-02	No	Yes	Yes							FendtAG 900 2011.vdb	5.17	10.0 / 16.1	22.0 / 35.4	N/A	N/A
Fendt	900 Vario	930, 931, 936, 939, 942	Auto-Guide Ready, CAN, GEN v. 2011+	Autoguide Ready Install, CAN	78100-21-R5	78035-56	N/A	62034 or 62388-02	No	Yes	Yes							FendtAG 900 Gen 4.vdb	11.00	15.0 / 24.1	22.0 / 35.4	N/A	N/A
Ford	Genesix	8670, 8770, 8870, 8970	Base Model	Hydraulic	54035-1090	78035-51	N/A	62034 or 62388-02	No	Yes	Yes							Ford 900 APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	12	10
Ford New Holland	Genesix	8670, 8770, 8870, 8970	Base Model	Hydraulic	54035-1090	78035-51	N/A	62034 or 62388-02	Yes	Yes	Yes							NE 8970, 8970 Genesix.vdb	12.00	10.0 / 16.1	18.0 / 23.0	30	30
JCB	8000	7170, 7200, 7230, 7270	Tremble Ready	Autoguide Ready Install	54035-5051	64425-51	N/A	JCB Factory Mount	No	Yes	Yes							JCB 7000.vdb	13.45	15.0 / 24.1	23.5 / 37.8	10	50
JCB	4000	4180, 4190, 4220	Tremble Ready	Autoguide Ready Install	54035-5051	64425-51	N/A	JCB Factory Mount	No	Yes	Yes							JCB 4000.vdb	13.45	15.0 / 24.1	23.5 / 37.8	10	50
JCB	8000	8280, 8310	Tremble Ready	Autoguide Ready Install	54035-5051	64425-51	N/A	JCB Factory Mount	No	Yes	Yes							JCB 8000.vdb	13.45	15.0 / 24.1	23.5 / 37.8	11	48
JCB	8000	8280, 8310	Tremble Ready	Autoguide Ready Install	54035-5051	64425-51	N/A	JCB Factory Mount	No	Yes	Yes							JCB 8000 34.vdb	6.00	15.0 / 24.1	23.5 / 37.8	9	41
John Deere	4440-4X60	4440, 4550, 4650, 4750, 4850, 4950, 4955, 4960	Base Model	Hydraulic, Flow Switch	54036-40	54036-40	76284	53676	Yes	Yes	Yes							JD 4440, 4460 FS Tractor.vdb	13.30	10.0 / 16.1	18.0 / 23.0	5	43
John Deere	4440-4X60	4440, 4550, 4650, 4750, 4850, 4950, 4955, 4960	Base Model	Autopilot Motor Drive	78100-17-R5	78035-40	N/A	53676	No	Yes	Yes							JD 4440, 4460 APMD.vdb	12.00	10.0 / 16.1	18.0 / 23.0	13.5	10
John Deere	350S	3150, 3155, 3650	Base Model	Autopilot Motor Drive	78100-17-R5	78035-40	N/A	62034	No	Yes	No							JD 3150, 325S APMD.vdb	12.00	10.0 / 16.1	18.0 / 23.0	12.5	10
John Deere	35	6145L, 6150L, 6165L, 6170L, 6180L, 6190L, 6210L	AutoTrac Ready	Autoguide Ready Install, Direct Connect	54037-24	54037-24	N/A	62034	Yes	Yes	No							JDAT 6140L, 6210L.vdb	13.45	15.0 / 24.1	22.0 / 35.4	12	24
John Deere	3K55	3055, 3155, 3255	Base Model	Autopilot Motor Drive	78100-17-R5	78035-1165	N/A	62034	No	Yes	No							JD 3150, 325S APMD.vdb	12.00	10.0 / 16.1	18.0 / 23.0	12.5	10
John Deere	5000E	5045L, 5055L, 5065L, 5075S, 5085S, 5100E	Base Model	Hydraulic	54035-1165	54035-1165	N/A	62034 or 55349	Yes	Yes	Yes							JD 5045, 5100 E Tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	16	25
John Deere	5000E	5125, 5125L, 5145L, 5145S	Base Model	Hydraulic	78100-03-R5	78035-03-R5	N/A	62034 or 55349	Yes	Yes	Yes							JD 5125L APMD.vdb	12.00	10.0 / 16.1	18.0 / 23.0	8	11
John Deere	5000E	5088L (limited), 5098L (limited), 5101E (limited)	Base Model	Hydraulic	54035-1165	54035-1165	N/A	62034 or 55349	Yes	Yes	Yes							JD 5045, 5101 E Tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	16	25
John Deere	5000M	5075M, 5085M, 5090M, 5100M, 5115M	Base Model	Hydraulic	54035-167	54035-167	98436	55348	Yes	Yes	Yes							JD 5000M.vdb	13.45	10.0 / 16.1	18.0 / 23.0	14	35
John Deere	5000M	5090M, 5095M	Base Model	Hydraulic	54035-167	54035-167	98436	55348	Yes	Yes	Yes							JD 5000M.vdb	13.45	10.0 / 16.1	18.0 / 23.0	14	35
John Deere	6000	6100, 6110, 6120, 6130, 6200, 6210, 6220, 6230, 6300, 6310, 6320, 6330, 6400, 6410, 6420, 6430, 6440, 6450, 6500, 6520, 6600, 6620, 6800, 6820, 6900, 6920	Standard Cab	Hydraulic, 6-cylinder	54035-1160	54035-1160	68577-1000	62034 or 55349	Yes	Yes	Yes							JD 600L, 6K30 tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	8	41
John Deere	6000	6100, 6110, 6120, 6130, 6200, 6210, 6220, 6230, 6300, 6310, 6320, 6330, 6400, 6410, 6420, 6430, 6440, 6450, 6500, 6520, 6600, 6620, 6800, 6820, 6900, 6920	Standard Cab	Hydraulic, 4-cylinder	54035-1163	54035-1163	68577-1000	62034 or 55349	Yes	Yes	Yes							JD 600L, 6K30 tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	8	41
John Deere	6000	6100, 6110, 6120, 6130, 6200, 6210, 6220, 6230, 6300, 6310, 6320, 6330, 6400, 6410, 6420, 6430, 6440, 6450, 6500, 6520, 6600, 6620, 6800, 6820, 6900, 6920	Standard Cab	Hydraulic, 4-cylinder	54035-1163	54035-1163	68577-1000	62034 or 55349	Yes	Yes	Yes							JD 600L, 6K30 tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	8	41
John Deere	6000	6100, 6110, 6120, 6130, 6200, 6210, 6220, 6230, 6300, 6310, 6320, 6330, 6400, 6410, 6420, 6430, 6440, 6450, 6500, 6520, 6600, 6620, 6800, 6820, 6900, 6920	Standard Cab	Autopilot Motor Drive	78100-18-R5	78035-39	N/A	62034 or 55349	No	Yes	Yes							JD 6000 APMD.vdb	13.00	12.0 / 19.3	18.0 / 23.0	18.0/17	10
John Deere	6000	7130, 7230, 7330, 7430, 7530, 7630	Premium	Autopilot Motor Drive	54035-1160	54035-1160	68577-1000	62034 or 55349	No	Yes	Yes							JD 7240, 7540 Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	5	24
John Deere	7000	7130, 7230, 7330, 7430, 7530, 7630	AutoTrac Ready, Premium Cab	Autoguide Ready Install	54035-39	54035-39	N/A	62034 or 55349	No	Yes	Yes							JDAT 7130, 7530 Tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	5.5	10
John Deere	7000	7130, 7230, 7330, 7430, 7530, 7630	AutoTrac Ready	Autopilot Motor Drive	78100-03-R5	78035-160	N/A	62034 or 55349	Yes	Yes	Yes							JD 7130, 7530 APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	12.5	10
John Deere	7000	7200, 7210, 7220, 7230, 7400, 7410, 7420, 7510, 7520, 7600, 7610	Base Model	Hydraulic	54035-1160	54035-1160	68574-1000	62034 or 55349	Yes	Yes	Yes							JD 7240, 7540 Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	5	24
John Deere	7000	7200, 7210, 7220, 7230, 7400, 7410, 7420, 7510, 7520, 7600, 7610	Base Model	Autopilot Motor Drive	78100-18-R5	78035-39	N/A	62034 or 55349	No	Yes	Yes							JD 7200, 7810 APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	13.5	10
John Deere	7000	7700, 7800, 7710, 7810	Base Model	Hydraulic	54035-1160	54035-1160	68574-1000	62034 or 55349	Yes	Yes	Yes							JD 7600, 7900 tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	5	24
John Deere	7000	7700, 7800, 7710, 7810	Base Model	Autopilot Motor Drive	78100-18-R5	78035-39	N/A	62034 or 55349	No	Yes	Yes							JD 7600, 7900 APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	13.5	10
John Deere	7000	7720, 7730, 7820, 7830, 7920, 7930	Base Model	Hydraulic	54035-1160	54035-1160	68574-1000	62034 or 55349	Yes	Yes	Yes							JD 7600, 7900 Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	5	24
John Deere	7000	7720, 7730, 7820, 7830, 7920, 7930	Base Model	Autopilot Motor Drive	78100-01-R5	78035-01	N/A	62034 or 55349	No	Yes	Yes							JD 7600, 7900 APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	13.5	10
John Deere	6000	6403, 6603	Mexico Cab	Hydraulic	54035-162	54035-162	84314	62034 or 62388-02 or 55348	No	Yes	Yes							JD 904-1354, 6603.vdb	13.45	10.0 / 16.1	18.0 / 23.0	7	40
John Deere	6000	6420, 6520, 6620, 6820, 6920, 6230, 6330, 6430, 6530, 6630, 6830, 6930	AutoTrac Ready, Premium Cab	Autoguide Ready Install	54035-39	54035-39	N/A	62034 or 55349	Yes	Yes	Yes							JDAT 6230, 6430 Tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	5.5	10
John Deere	6000	6130, 6230, 6330, 6430, 6530, 6630, 6830, 6930	Premium	Hydraulic, 4-cylinder	54035-1160	54035-1160	68577-1000	62034 or 55349	Yes	Yes	Yes							JD 600L, 6K30 tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	8	41
John Deere	6000	6130, 6230, 6330, 6430, 6530, 6630, 6830, 6930	Premium	Autopilot Motor Drive	78100-03-R5	78035-160	N/A	62034 or 55349	No	Yes	Yes							JD 6000 APMD.vdb	13.00	12.0 / 19.3	18.0 / 23.0	18.0/17	10
John Deere	8000	8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8520	Base Model	Hydraulic, Alternate High Aggressiveness	54035-1130	54035-1130	68090-1000	62034 or 55349	Yes	Yes	Yes							JD 800L, 850W ALT Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	7	28
John Deere	8000	8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8520	Base Model	Hydraulic	54035-34	54035-34	51504	62034 or 55349	Yes	Yes	Yes							JD 800L, 850W ALT Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	7	28
John Deere	8000	8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8520	Base Model	Autopilot Motor Drive	78100-01-R5	78035-01	N/A	62034 or 55349	No	Yes	Yes							JD 800L, 850W APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	12.5	10
John Deere	8000	8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8520	Base Model	Hydraulic	54035-1130	54035-1130	68090-1000	62034 or 55349	Yes	Yes	Yes							JD 800L, 850W Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	5	24
John Deere	8000	8100, 8110, 8120, 8130, 8200, 8210, 8220, 8230, 8300, 8310, 8320, 8330, 8400, 8410, 8420, 8430, 8440, 8450, 8530	Base Model	Autopilot Motor Drive	78100-01-R5	78035-01	N/A	62034 or 55349	No	Yes	Yes							JD 800L, 850W APMD.vdb	12.00	12.0 / 19.3	18.0 / 23.0	12.5	10
John Deere	4 Series	904, 1054, 1204, 1354	Chinese Model	Hydraulic	54035-162	54035-162	84314	62034 or 62388-02 or 55348	No	Yes	Yes							JD 904-1354, 6603.vdb	13.45	10.0 / 16.1	18.0 / 23.0	7	40
John Deere	6000	6420, 6520, 6620, 6820, 6920, 6230, 6330, 6430, 6530, 6630, 6830, 6930	AutoTrac Ready, Standard Cab	Autoguide Ready Install	54035-39	54035-39	N/A	62034 or 55349	Yes	Yes	Yes							JDAT 6030, 6430 Tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	5.5	10
John Deere	7000	7130, 7230, 7330, 7430, 7530, 7630	AutoTrac Ready	Autoguide Ready Install, Direct Connect	54035-39	54035-39	N/A	62034 or 55349	Yes	Yes	Yes							JDAT 7130, 7530 Tractor.vdb	13.45	10.0 / 16.1	18.0 / 23.0	5.5	10
John Deere	7000	7720, 7730, 7820, 7830, 7920, 7930	AutoTrac Ready	Autog																			

John Deere	6R	6130R, 6140R, 6150R, 6170R, 6190R, 6210R	Base Model	Hydraulic, Closed Center Remotes, High Speed Option w/ Reactive Steering	5403S-1164	5403S-1164	9384S-2000	62034 or 66774	Yes	Yes	Yes	Yes	Vehicle must be Closed Center; for machines with high speed option (30 MPH) - 9384S-2000 hose kit will be needed in place of the 9384S-1000 kit. Vehicle must have Closed Center remotes - Not for install on machines with Closed Center system upgrade	JOAT 630 6210R.vsb	13.45	10.0 / 16.1	18.0 / 29.0	7	40
John Deere	6M	6140M, 6145M, 6150M, 6155M, 6170M, 6175M, 6195M	Base Model	Hydraulic, Must have open center pump with CC remotes	5403S-1164	5403S-1164	9384S-1000	62034 or 55349 (Spal)	Yes	Yes	Yes	Yes		JOAT 630 6170M.vsb	13.45	10.0 / 16.1	18.0 / 29.0	7	40
John Deere	6M	6140M, 6145M, 6150M, 6155M, 6170M, 6175M, 6195M	AutoTrac Ready, Pre- 2020	AutoTrac Ready Install, Direct Connect	54037-24	54037-24	N/A	62034 or 55349 (Spal)	Yes	Yes	Yes	No		JOAT 6140M, 6170M.vsb	13.45	15.0 / 24.1	22.0 / 35.4	4.25	24
John Deere	6M	6140M, 6155M, 6175M, 6195M	AutoTrac Ready, 2021+	AutoTrac Ready Install, Direct Connect	5403S-212	5403S-212	N/A	62034 or 55349 (Spal)	Yes	Yes	Yes	No		JOAT 6140M, 6170M.vsb	13.45	15.0 / 24.1	22.0 / 35.4	4.25	24
John Deere	6M	6140M, 6145M, 6150M, 6155M, 6170M, 6175M, 6195M	Base Model, Pre- 2020	Autopilot Motor Drive	7810S-18.RS	7810S-39	N/A	62034 or 55349 (Spal)	No	Yes	Yes	Yes		JOAT 630M 6170M APMD.vsb	12.00	12.0 / 19.3	18.0 / 29.0	5	10
John Deere	6M	6145M, 6155M, 6175M, 6195M	Base Model, 2021+	Autopilot Motor Drive	7810S-18.RS	7810S-39	N/A	62034 or 55349 (Spal)	No	Yes	Yes	Yes		JOAT 630 6170M APMD.vsb	12.00	12.0 / 19.3	18.0 / 29.0	5	10
John Deere	7R	7200R, 7215R, 7250R, 7280R	AutoTrac Ready	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 7000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	7R	7210R, 7230R, 7250R, 7270R, 7290R, 7310R	AutoTrac Ready	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 7000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	7R	78210, 78230, 78250, 78270, 78290, 78310, 78330, 78350	AutoTrac Ready	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 7000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8235R, 8260R, 8285R	AutoTrac Ready	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8310R, 8335R, 8360R	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R ILS Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8245R, 8270R, 8295R	AutoTrac Ready	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8320R, 8345R, 8370R, 8400R	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R ILS Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8R310, 8R340, 8R370, 8R410	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R ILS Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8R320, 8R350, 8R380	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8R310, 8R340, 8R370, 8R410	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R ILS Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8R320, 8R350, 8R380	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
John Deere	8R	8R310, 8R340, 8R370, 8R410	AutoTrac Ready, ILS	AutoTrac Ready Install, CAN	5403S-5042	5403S-42	N/A	62034 or 66774	No	Yes	Yes	Yes	John Deere tractors must have the Analog IMS or FEC 1-2 switch	JOAT CAN 8000R ILS Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
Kubota	6R	6R310, 6R340, 6R370, 6R410	Base Model	AutoTrac Ready Install, CAN	5403S-5042	5403S-117	8959	62034 or 62388-02	Yes	Yes	Yes	Yes		JOAT CAN 8000R ILS Tractor.vsb	11.00	15.0 / 24.1	22.0 / 35.4	10	8
Kubota	6R	M1000, M1100, M1200, M1350X	Base Model	Hydraulic	5403S-117	7810S-117	8959	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota M1000X APMD.vsb	13.45	10.0 / 16.1	18.0 / 29.0	4.0	11
Kubota	6R	M1000, M1100, M1200, M1350X	Base Model	Autopilot Motor Drive	7810S-117	7810S-117	8959	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota M1000, ILS.vsb	13.45	10.0 / 16.1	18.0 / 29.0	10	18
Kubota	M100X	M100X, M110X, M120X, M135X	Base Model	Hydraulic	5403S-116	7810S-116	8959	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota M100X APMD.vsb	12.00	10.0 / 16.1	18.0 / 29.0	12.5	11
Kubota	M100X	M100X, M110X, M120X, M135X	Base Model	Autopilot Motor Drive	7810S-29.RS	7810S-118	10764	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota MS Tractor.vsb	13.45	10.0 / 16.1	18.0 / 29.0	7	40
Kubota	M5	M5-901, M5-111	Base Model	Hydraulic	5403S-118	7810S-118	10764	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota M5 Tractor.vsb	13.45	10.0 / 16.1	18.0 / 29.0	12	28
Kubota	M6	M6-101, M6-111, M6-131, M6-141, M6-141.4	Base Model	Hydraulic	5403S-1121	7810S-1121	10765-2000	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota M6 Tractor.vsb	13.45	10.0 / 16.1	18.0 / 29.0	12	28
Kubota	M6	M6-101, M6-111, M6-131, M6-141.4	Base Model	Autopilot Motor Drive	7810S-72.RS	7810S-117	10765	62034 or 62388-02	No	Yes	No	No		Kubota M1000X APMD.vsb	12.00	10.0 / 16.1	18.0 / 29.0	12.5	11
Kubota	M7-1	M7-131, M7-151, M7-171	Auto-Guide Ready	AutoTrac Ready Install, CAN, CFX-FMV-GFX	5403S-5120	5403S-119	N/A	62034 or 62388-02	No	Yes	Yes	Yes		Kubota AGR M7-131, M7-172.vsb	13.00	10.0 / 16.1	18.0 / 29.0	32	N/A
Kubota	M7-2	M7-132, M7-152, M7-172	Auto-Guide Ready	AutoTrac Ready Install, CAN, CFX-FMV-GFX	5403S-5120	5403S-119	N/A	62034 or 62388-02	No	Yes	Yes	Yes		Kubota AGR M7-131, M7-172.vsb	13.00	10.0 / 16.1	18.0 / 29.0	32	N/A
Kubota	M8	M8-181, M8-201	Auto-Guide Ready	AutoTrac Ready Install	5403S-5211	5403S-211	N/A	62034 or 62388-02	No	Yes	Yes	Yes		Kubota M8-181, M8-201 AGR.vsb	13.70	15.0 / 24.1	22.0 / 35.4	8	12
Kubota	M7-1	M7-131, M7-151, M7-171	Auto-Guide Ready	AutoTrac Ready Install, CAN, TMM	5403S-1114	5403S-114	N/A	62034 or 62388-02	No	Yes	Yes	Yes		Kubota AGR M7-131, M7-172.vsb	13.00	10.0 / 16.1	18.0 / 29.0	32	N/A
Kubota	M7-1	M7-131, M7-151, M7-171	Base Model	AutoTrac Ready Install, CAN	5403S-1114	5403S-114	109701-2000	62034 or 62388-02	Yes	Yes	Yes	Yes		Kubota M7-131, M7-171.vsb	13.45	10.0 / 16.1	18.0 / 29.0	5	35
Kubota	M40	5140, 6040, 7040	Base Model	Hydraulic	5403S-118	97477	62034 or 62388-02	Yes	Yes	Yes	Yes	Yes		Kubota MS140, M7060.vsb	13.45	10.0 / 16.1	18.0 / 29.0	11	22
Kubota	M40	5140, 6040, 7040	Base Model	Hydraulic	5403S-118	97477	62034 or 62388-02	Yes	Yes	Yes	Yes	Yes		Kubota MS140, M7060.vsb	13.45	10.0 / 16.1	18.0 / 29.0	11	22
Kubota	M40	6060, 7060	Base Model	Hydraulic	5403S-118	97477	62034 or 62388-02	Yes	Yes	Yes	Yes	Yes		Kubota MS140, M7060.vsb	13.45	10.0 / 16.1	18.0 / 29.0	11	22
Kubota	M40	6060, 7060	Narrow Special AG	Hydraulic	5403S-118	97477	62034 or 62388-02	Yes	Yes	Yes	Yes	Yes		Kubota MS140, M7060 Special AG.vsb	13.45	10.0 / 16.1	18.0 / 29.0	11	22
Kubota	M40	6060, 7060	Base Model	Hydraulic	5403S-118	97477	62034 or 62388-02	Yes	Yes	Yes	Yes	Yes		Kubota MS140, M7060.vsb	13.45	10.0 / 16.1	18.0 / 29.0	11	22
Massey Ferguson	6400	6445, 6475, 6480, 6485, 6490, 6495, 6497, 6499	Base Model, Serial Number N307031+	Hydraulic, Dyna 6 transmission,	5403S-1045	5403S-1045	58856-1000	62034 or 62388-02	Yes	Yes	Yes	Yes	Has 2 different EZP kits	MF 64X.vsb	13.45	10.0 / 16.1	18.0 / 29.0	8	35
Massey Ferguson	6400	6445, 6475, 6480, 6485, 6490, 6495, 6497, 6499	Base Model, Serial Number N307031+	Autopilot Motor Drive	7810S-14.RS	7810S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	Later version of steering column P/N 427349SM93.	MF 6000 APMD.vsb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Massey Ferguson	6400	6445, 6475, 6480, 6485, 6490, 6495, 6497, 6499	Base Model, Serial Number up to N307030	Hydraulic, Dyna 6 transmission,	5403S-1045	5403S-1045	58856-1000	62034 or 62388-02	Yes	Yes	Yes	Yes	Refer to AGCO drawing 1-WN04-003-B.	MF 64X.vsb	13.45	15.0 / 24.1	18.0 / 29.0	8	35
Massey Ferguson	6600	6612, 6613, 6614, 6615, 6616	Auto-Guide Ready, CAN	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF600 6600 CAN.vsb	5.25	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Massey Ferguson	6700R	6711R, 6712R, 6713R	Auto-Guide Ready, CAN	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF 671R, 6713R AGR SA.vsb	12.00	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Massey Ferguson	6400	6445, 6475, 6480, 6485, 6490, 6495, 6497, 6499	Auto-Guide Ready, CAN, Serial Number up to N307031+	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF600 6600 CAN.vsb	5.25	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Massey Ferguson	6400	6445, 6475, 6480, 6485, 6490, 6495, 6497, 6499	Auto-Guide Ready, CAN, Serial Number up to N307030	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF600 6600 CAN.vsb	5.25	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Massey Ferguson	5400	5425, 5445, 5455, 5460, 5465, 5470, 5475, 5480	North American Model, Serial Number N307031+	Hydraulic, Closed Center Hydraulics	5403S-1045	5403S-1045	58856-1000	62034 or 53676 or 62388-02	Yes	Yes	Yes	Yes	Must have Closed Center Remotes - indicated by bow sense line on the hand pump	MF 54X.vsb	13.45	10.0 / 16.1	18.0 / 29.0	4	45
Massey Ferguson	5400	5425, 5445, 5455, 5460, 5465, 5470, 5475, 5480	North American Model, Serial Number N307031+	Autopilot Motor Drive	7810S-14.RS	7810S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF 54X.vsb	13.45	10.0 / 16.1	18.0 / 29.0	4	45
Massey Ferguson	5400	5425, 5445, 5455, 5460, 5465, 5470, 5475, 5480	North American Model, Serial Number up to N307030	Hydraulic, Closed Center Hydraulics	5403S-1045	5403S-1045	58856-1000	62034 or 53676 or 62388-02	Yes	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF 54X.vsb	12.00	12.0 / 19.3	18.0 / 29.0	15	11
Massey Ferguson	5400	5425, 5445, 5455, 5460, 5465, 5470, 5475, 5480	North American Model, Serial Number N307031+	Hydraulic, Open Center Hydraulics	5403S-146	8K697	62034 or 53676 or 62388-02	Yes	Yes	Yes	Yes	Yes	Must have Open Center Remotes with no LS	MF 54X.vsb	13.45	10.0 / 16.1	18.0 / 29.0	4	45
Massey Ferguson	5400	5425, 5445, 5455, 5460, 5465, 5470, 5475, 5480	North American Model, Serial Number up to N307030	Hydraulic, Open Center Hydraulics	5403S-146	8K697	62034 or 53676 or 62388-02	Yes	Yes	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MF 54X.vsb	13.45	10.0 / 16.1	18.0 / 29.0	4	45
Massey Ferguson	7600	7614, 7615, 7616, 7618	Auto-Guide Ready, CAN	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MFAG 76X CAN 3F.vsb	5.23	10.0 / 16.1	22.0 / 35.4	N/A	N/A
Massey Ferguson	7600	7619, 7620, 7622, 7624, 7626	Auto-Guide Ready, CAN	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MFAG 76X CAN 3F.vsb	5.23	10.0 / 16.1	22.0 / 35.4	N/A	N/A
Massey Ferguson	7700	7714, 7715, 7716, 7718	Auto-Guide Ready, CAN	AutoTrac Ready Install, CAN	5403S-5062	5403S-62	N/A	62034 or 62388-02	No	Yes	Yes	Yes	For NAV-900 installs, the machine must have the Toploc connector	MFAG 76X CAN 3F.vsb	5.23	10.0 / 16.1	22.0 / 35.		

[illegible]

Steyr	Terrex CVT	6270, 6300	5-Guide Ready, CVT, CAN	Autoguide Ready Install, CAN	54035-5028	64425-27	62034 or 53676	No	Yes	Yes								Hybrid cabling provided in controller kit	SteyrS 6270, 6300.vdb	12.00	15.0 / 24.1	22.0 / 35.4	7	15
Steyr	CVT	6165, 6170, 6180, 6185, 6200, 6205, 6210, 6215, 6225, 6230	Base Model	Hydraulic	54035-1052	109532-2000	62034 or 66774	Yes	Yes	Yes									CH Puma 165, 210 Tractor.vdb	13.45	15.0 / 24.1	22.0 / 35.4	3.5	50
Steyr	CVT	6165, 6170, 6180, 6185, 6200, 6205, 6210, 6215, 6225, 6230	Base Model	Autopilot Motor Drive	78035-52	N/A	62034 or 66774	No	Yes	Yes									Steyr CVT 6165, 6230 APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T 8R	195, 210, 230, 250	Auto-Guide Ready, South American Model	Autoguide Ready Install, CAN	54035-5062	N/A	62034 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra T 195, 250 AGR 5A.vdb	12.00	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	A HiTech	A114, A124, A134	Auto-Guide Ready, South American Model	Autoguide Ready Install, CAN	54035-5062	N/A	62034 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra A HiTech 114, 134 AGR 5A.vdb	13.00	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	T2	T132, T152, T172, T182, T202	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-58	62034 or 46706 or 62388-02	No	Yes	Yes								Twin Trac not supported, For NAV-900 installs, the machine must have the TopDoc connector	Valtra AG T Series.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	T4	T144, T154, T174, T174a, T194, T214, T234, T254	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-58	62034 or 46706 or 62388-02	No	Yes	Yes								Twin Trac not supported, For NAV-900 installs, the machine must have the TopDoc connector	Valtra AG T Series.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	T3	T133, T153, T163, T173, T183, T193, T203	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-58	62034 or 46706 or 62388-02	No	Yes	Yes								Twin Trac not supported, For NAV-900 installs, the machine must have the TopDoc connector	Valtra AG T Series.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	T2	T132, T152, T172, T182, T202	Versu	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T2	T132, T152, T172, T182, T202	Versu	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T3	T153, T163, T183, T213	Versu	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T3	T153, T163, T183, T213	Versu	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T2	T132, T152, T172, T182, T202	Direct	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T2	T132, T152, T172, T182, T202	Direct	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T3	T153, T163, T183, T203	Direct	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T3	T153, T163, T183, T203	Direct	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T1	T151, T161, T171, T191	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-58	62034 or 46706 or 62388-02	No	Yes	Yes								Twin Trac not supported, For NAV-900 installs, the machine must have the TopDoc connector	Valtra AG T Series.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	T1	T151, T161, T171, T191	HiTech	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T1	T151, T161, T171, T191	HiTech	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T3	T133, T153, T173, T193	HiTech	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T3	T133, T153, T173, T193	HiTech	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T1	T151, T161, T171, T191	Advanced	Hydraulic	54035-1170	54035-1170	62034 or 46706 or 62388-02	Yes	Yes	Yes								Twin Trac not supported	Valtra T Tractor.vdb	13.45	10.0 / 16.1	18.0 / 29.0	5	40
Valtra	T1	T151, T161, T171, T191	Advanced	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Twin Trac not supported	Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10
Valtra	T	T130, T130, T150, T160, T170, T180, T190	Base Model	Autopilot Motor Drive	78100-38-R5	78035-58	62388-02	No	Yes	Yes								Valtra T Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10	
Valtra	BM	BM100, BM110, BM125i	Base Model	Hydraulic	54035-179	86049	62034 or 62388-02	Yes	Yes	Yes								Valtra BM 1xx.vdb	13.45	10.0 / 16.1	18.0 / 29.0	7	33	
Valtra	8T	8T150, 8T170, 8T190, 8T210	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-63	62034 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra 8T 150, 210 AGR.vdb	5.23	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	8T	8T150, 8T170, 8T190, 8T210	Base Model	Hydraulic	54035-64	Hose kit Built Locally	62034 or 62388-02	Yes	Yes	Yes								Valtra 8T150-210.vdb	13.45	10.0 / 16.1	18.0 / 29.0	13	33	
Valtra	9H	9H145, 9H160, 9H165, 9H180, 9H190, 9H200	Base Model	Hydraulic	54035-179	86049	62034 or 62388-02	Yes	Yes	Yes								Valtra 9H 1xx.vdb	13.45	10.0 / 16.1	18.0 / 29.0	7	33	
Valtra	9H	9H145, 9H154, 9H174, 9H184, 9H194, 9H214, 9H224	Auto-Guide Ready, South American Model	Autoguide Ready Install, CAN	54035-5062	N/A	62034 or 62388-02	No	Yes	Yes								Valtra 9H 145, 224 AGR 5A.vdb	13.00	10.0 / 16.1	14.5 / 23.4	N/A	N/A	
Valtra	S2	S232, S262, S292, S322, S352	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-62	62034 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra S Series AGR Tractor.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	S3	S293, S323, S353	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-62	62034 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra S Series AGR Tractor.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	S4	S274, S294, S324, S354, S374, S394	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-62	62034 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra S Series AGR Tractor.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	S4	S274, S294, S324, S354, S374, S394	Auto-Guide Ready, CAN, 2018+	Autoguide Ready Install, CAN	54035-5162	N/A	62034 or 46706 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra S4 series 2018+.vdb	13.70	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	N	N123, N143, N163	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-58	62034 or 46706 or 62388-02	No	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra AG T Series.vdb	5.16	10.0 / 16.1	14.5 / 23.4	N/A	N/A
Valtra	N	N123, N143, N163	Base Model	Hydraulic	54035-171	54035-171	62388-02	Yes	Yes	Yes								For NAV-900 installs, the machine must have the TopDoc connector	Valtra N Series.vdb	13.45	15.0 / 24.1	22.0 / 35.4	3.5	42
Valtra	N	N123, N143, N163	Base Model	Autopilot Motor Drive	78100-38-R5	78035-58	62034 or 46706 or 62388-02	No	Yes	Yes								Valtra N Series APMD.vdb	12.00	12.0 / 19.3	18.0 / 29.0	13.5	10	
Zetor	Forterra H5X	100, 110, 120, 130, 140	Base Model	Autopilot Motor Drive	78100-94-R5	N/A	62034	No	Yes	Yes								Zetor ForterraH5X, APMD.vdb	13.00	12.0 / 19.3	18.0 / 29.0	13.5	10	
Zetor	Proxima H5	80, 100, 110, 120	Base Model	Autopilot Motor Drive	78100-94-R5	N/A	62034	No	Yes	Yes								Zetor ProximaH5, APMD.vdb	13.00	12.0 / 19.3	18.0 / 29.0	13.5	10	
Zetor	Forterra H0	110, 140, 150	Base Model	Autopilot Motor Drive	78100-94-R5	N/A	62034	No	Yes	Yes								Zetor ForterraH0, APMD.vdb	13.00	12.0 / 19.3	18.0 / 29.0	13.5	10	
Zetor	Forterra CL	100, 110, 120, 130, 140	Base Model	Autopilot Motor Drive	78100-84-R5	N/A	62034	No	Yes	Yes								Zetor ForterraCL, APMD.vdb	13.00	12.0 / 19.3	18.0 / 29.0	13.5	10	
Zetor	Crystal	150, 160	Base Model	Autopilot Motor Drive	78100-94-R5	N/A	62034	No	Yes	Yes								Zetor Crystal, APMD.vdb	13.00	12.0 / 19.3	18.0 / 29.0	13.5	10	

AgChem	Make	Series	Models	Vehicle Options	Autopilot Options	Platform Kit or Competition Kit	Row Kit	Row Kit	Antenna Bracket	VISM-H12 Available?	Onboard Available?	Northcutt Available?	Northcutt Connect?	Northcutt Connect Platform Kit	Northcutt Connect Notes	Notes	YDR	Minimum YPS	Engage Speed	Max Speed	Gain	Drawdown
AgChem	AgChem	AgChem	5884, 561084, 1286, 1286C	Base Model	Hydraulic		54037-58	88083	55348	Yes	Yes				AgChem 1286.vdb		5.15	30.2 / 48.6	30.2 / 48.6	10	40	
AgChem	AgChem	AgChem	884, 1084	Base Model	Hydraulic		54037-58	88083	55348	Yes	Yes				AgChem 1286.vdb		5.15	30.2 / 48.6	30.2 / 48.6	10	40	
AgChem	AgChem	AgChem	984, 984H, 1184, 1184H, 1186	Base Model	Hydraulic		54037-58	88083	55348	Yes	Yes	Yes			AgChem 1286.vdb		5.15	30.2 / 48.6	30.2 / 48.6	10	40	
AgChem	AgChem	AgChem	854 (10/97-2002)	Autopilot Motor Drive	Hydraulic		78100-05.RS	N/A	53676	No	Yes	Yes			AgChem 854APM.vdb		13.45	30.2 / 48.6	30.2 / 48.6	12	11	
AgChem	AgChem	AgChem	RG0900, RG1100, RG1300	Base Model	Hydraulic		54037-58	88083	55348	Yes	Yes	Yes			AgChem RG0900_1300.vdb		5.15	30.2 / 48.6	30.2 / 48.6	8	40	
AgChem	AgChem	AgChem	RG0900B, RG1100B, RG1300B	Auto-Guide Ready, CAN	Autopilot Ready Install, CAN		54035-5062		54037-47	N/A	55348	No	Yes	Yes	AgChem RG0900_1300B AGR.vdb		6.00	30.2 / 48.6	30.2 / 48.6	5	5	
AgChem	AgChem	AgChem	RG0900C, RG1100C, RG1300C	Auto-Guide Ready, CAN	Autopilot Ready Install, CAN		54037-5048		54037-48	N/A	117939	No	Yes	Yes	AgChem RG0900_1300C AGR.vdb		13.45	30.2 / 48.6	30.2 / 48.6	N/A	N/A	
											62034, 62388-02, or Spar that uses the bolts at front of cab: P/N 53676 Spar that uses the bolts at front of cab: P/N 64898	No	Yes	Yes		For NAV-900 installs, the machine must have the Topcon connector						
AgChem	AgChem	AgChem	RG720	Auto-Guide Ready, CAN	Autopilot Ready Install, CAN		54035-5062		54037-59	N/A					AgChem RG 720.vdb		5.23	30.2 / 48.6	30.2 / 48.6	N/A	N/A	
AGCO	AGCO	SpracoCoupe	4455, 4655, 4460, 4660	Base Model	Hydraulic		54037-56	63215	53676	Yes	Yes	Yes			SpracoCoupe 4055, 4460.vdb		5.16	15.0 / 24.1	22.0 / 35.4	12	40	
AGCO	AGCO	SpracoCoupe	7450, 7650, 7655, 7660	Base Model	Autopilot Motor Drive		N/A	53676	53676	No	Yes	Yes			SpracoCoupe 7450_APM.vdb		13.45	12.0 / 19.3	18.0 / 29.0	10.5	10	
Aggrifac	Aggrifac	Condor		Autopilot Ready	Autopilot Ready Install, High Speed		64425-77		62034	No	Yes	No			AggrifacCondorHS.vdb		13.00	30.2 / 48.6	30.2 / 48.6	12.5	5	
Aggrifac	Aggrifac	Condor		Trimble Ready	Autopilot Ready Install, Low Speed		64425-77		62034	No	Yes	No			AggrifacCondorLS.vdb		13.00	30.2 / 48.6	30.2 / 48.6	12.5	5	
Aggrifac	Aggrifac	Pontara	4502, 4503	Trimble Ready	Autopilot Ready Install		54037-157		62034	No	Yes	Yes			AggrifacPontara 4502.vdb		13.00	30.2 / 48.6	30.2 / 48.6	N/A	N/A	
Apache	Apache	AS	710, 715, 750, 850, 1010, 1210	Base Model	Hydraulic		54037-80	75758	55348	Yes	Yes	Yes			Apache AS 850_1220.vdb		13.75	30.2 / 48.6	30.2 / 48.6	14	38	
Apache	Apache	AS	720, 1020, 1025, 1220	Base Model	Hydraulic		54037-100	83167	55348	Yes	Yes	Yes			Apache AS 850_1220.vdb		13.75	30.2 / 48.6	30.2 / 48.6	14	38	
Apache	Apache	AS	1020, 1220	Trimble Ready	Autopilot Ready Install		54037-100	83167	55348	Yes	Yes	Yes			Apache AS 850_1220.vdb		13.75	30.2 / 48.6	30.2 / 48.6	14	38	
Berthoud	Berthoud	Raptor	2540, 3240, 4240, 5240	Base Model	Hydraulic		64425-28		62034	Yes	Yes	Yes			Berthoud Raptor.vdb		13.45	10.0 / 16.1	18.0 / 28.0	8	10	
Case IH	Case IH	SPX Patriot	3150, 1185	Base Model	Hydraulic		54037-112	57114	55680-00	Yes	Yes	Yes			Case IH SPX 3150.vdb		5.16	15.0 / 24.1	22.0 / 35.4	8	31	
Case IH	Case IH	Patriot	2240	Autopilot Ready, Latin America Version	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 2240 LAR.vdb		5.23	24.0 / 38.6	24.0 / 38.6	12.5	5	
Case IH	Case IH	Patriot	2240	Autopilot Ready, North American Version	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 2240 NA.vdb		5.25	30.2 / 48.6	30.2 / 48.6	12	30	
Case IH	Case IH	SPX	3200, 3310	Base Model	Hydraulic		54037-15	56815	55680-00	Yes	Yes	Yes			Case IH SPX 3310.vdb		6.00	30.2 / 48.6	30.2 / 48.6	10	30	
Case IH	Case IH	SPX Patriot	3200	Base Model	Hydraulic		54037-15	56815	55680-00	Yes	Yes	Yes			Case IH SPX 3320.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	40	
Case IH	Case IH	SPX	3230, 3240, 3330, 3340	Base Model	Hydraulic		54037-11	58999	53676	Yes	Yes	Yes			Case IH SPX 3320.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	40	
Case IH	Case IH	SPX Patriot	3320	Base Model	Hydraulic		54037-11	58999	53676	Yes	Yes	Yes			Case IH SPX 3320.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	40	
Case IH	Case IH	SPX	4204C	Base Model	Hydraulic		54037-11	58999	53676	Yes	Yes	Yes			Case IH SPX 4204.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	40	
Case IH	Case IH	SPX	4410	Base Model	Hydraulic		54037-11	58999	53676	Yes	Yes	Yes			Case IH SPX 4440.vdb		5.25	30.2 / 48.6	30.2 / 48.6	18	31	
Case IH	Case IH	SPX	4410	Base Model	Autopilot Motor Drive		78100-02.RS	76035-125	53676	No	Yes	Yes			Case IH SPX 4410 APM.vdb		13.70	30.2 / 48.6	30.2 / 48.6	18	10	
Case IH	Case IH	Patriot	4420	Autopilot Ready	Hydraulic		54037-11	58999	53676	No	Yes	Yes			Case IH SPX 4440.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	36	
Case IH	Case IH	Patriot	3230, 3240, 3330, 3340	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 3320.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	36	
Case IH	Case IH	SPX Patriot	3320	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 3320.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	36	
Case IH	Case IH	SPX	4410	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 4410-420.vdb		5.25	30.2 / 48.6	30.2 / 48.6	10	36	
Case IH	Case IH	Patriot	4420	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 4410-420.vdb		5.25	30.2 / 48.6	30.2 / 48.6	5	31	
Case IH	Case IH	Patriot	4420	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 4410-420.vdb		5.25	30.2 / 48.6	30.2 / 48.6	5	31	
Case IH	Case IH	Patriot	4420	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 4410-420.vdb		5.25	30.2 / 48.6	30.2 / 48.6	6	25	
Case IH	Case IH	Patriot	4420	Autopilot Ready	Autopilot Ready Install		64425-28		62034 or 53676	No	Yes	Yes			Case IH SPX 4410-420.vdb		5.25	30.2 / 48.6	30.2 / 48.6	6	25	
Favot	Favot	Mac	3028	Autopilot Ready	Hydraulic		54037-151	80285	62388-01 or 62034	Yes	Yes	Yes			Favot Mac 3028.vdb		11.00	30.2 / 48.6	30.2 / 48.6	9	25	
GVM	GVM	ProWelder	9275	Trimble Ready	Hydraulic		N/A	N/A	N/A	Yes	Yes	No			GVM ProWelder 9275 TR.vdb		5.16	15.0 / 24.1	22.0 / 35.4	12	40	
Hage	Hage	STS	STS 10, STS 12	Hydraulic			54037-66	64898	64898	Yes	Yes	Yes			Hage STS 10-12 2005-4.vdb		5.16	15.0 / 24.1	22.0 / 35.4	4	40	
Hage	Hage	STS	STS 10, STS 12	Hydraulic			54037-65	63084	64898	Yes	Yes	Yes			Hage STS 10-12 2007-8.vdb		5.15	30.2 / 48.6	30.2 / 48.6	11	40	
Hage	Hage	STS	STS 14, STS 16	Hydraulic			54037-65	63084	64898	Yes	Yes	Yes			Hage STS 14-16 H 2007-8.vdb		5.15	30.2 / 48.6	30.2 / 48.6	11	40	
Hage	Hage	STS	STS 14, STS 16	Hydraulic			54037-65	64898	64898	Yes	Yes	Yes			Hage STS 14-16 2007-8.vdb		5.16	15.0 / 24.1	22.0 / 35.4	11	40	
Hage	Hage	STS	STS 10, STS 12, STS 14, STS 16	Auto-Guide Ready	Autopilot Ready Install		54037-68	N/A	53676	No	Yes	Yes			HageAG 2012 STS 10-16.vdb		5.25	30.2 / 48.6	30.2 / 48.6	4.5	5	
Hage	Hage	M	M300R	Auto-Guide Ready	Hydraulic, HX Position		54037-68	N/A	53676	No	Yes	Yes			HageM300R 10.vdb		5.25	30.2 / 48.6	30.2 / 48.6	3	7	
Hage	Hage	M	M300R	Auto-Guide Ready	Hydraulic, Lo Position		54037-68	N/A	53676	No	Yes	Yes			HageM300R 10.vdb		5.25	30.2 / 48.6	30.2 / 48.6	3	7	
Hage	Hage	Alpha	FVO 3000, FVO 4100	Autopilot Ready	Hydraulic, Lo Position		64425-140	N/A	53676	No	Yes	Yes			Hage Alpha FVO.vdb		5.25	30.2 / 48.6	30.2 / 48.6	N/A	N/A	
Hage	Hage	Alpha	FVO 3000, FVO 4100	Trimble Ready	Autopilot Ready Install, CAN		64425-140	N/A	Factor Mount	No	Yes	Yes			Hage Alpha Slow Speed.vdb		5.15	30.2 / 48.6	30.2 / 48.6	N/A	N/A	
John Deere	John Deere	4700	4700, 4710, 4720	Base Model	Autopilot Ready		54037-120	69181	53676	Yes	Yes	Yes			John Deere 4700.vdb		11.00	30.2 / 48.6	30.2 / 48.6	9	25	
John Deere	John Deere	4700	4700, 4710, 4720	Autopilot Motor Drive	Hydraulic		78100-05.RS	N/A	53676	No	Yes	Yes			John Deere 4700 APM.vdb		13.00	24.0 / 38.6	24.0 / 38.6	12	11	
John Deere	John Deere	4600	4600	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-21	N/A	88004 or 53676	Yes	Yes	Yes			John Deere 4600.vdb		5.25	30.2 / 48.6	30.2 / 48.6	15	9	
John Deere	John Deere	4700	4700, 4730	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-21	N/A	88004 or 53676	Yes	Yes	Yes			John Deere 4700.vdb		5.25	30.2 / 48.6	30.2 / 48.6	15	9	
John Deere	John Deere	4800	4800	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-21	N/A	88004 or 53676	Yes	Yes	Yes			John Deere 4800.vdb		5.25	30.2 / 48.6	30.2 / 48.6	13	9	
John Deere	John Deere	4900	4900, 4930	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-23		54037-23	N/A	53676	Yes	Yes	Yes	John Deere quick release (P/N 84804) or antenna spar (P/N 53676)		5.25	30.2 / 48.6	30.2 / 48.6	8	10	
John Deere	John Deere	4900	4940	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-24		54037-24	N/A	53676	Yes	Yes	Yes	John Deere quick release (P/N 84804) or antenna spar (P/N 53676)		5.25	30.2 / 48.6	30.2 / 48.6	9	18	
John Deere	John Deere	9400M	4030, 4038, 4045	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-24		54037-24	N/A	53676	Yes	Yes	Yes	John Deere quick release (P/N 84804) or antenna spar (P/N 53676)		11.00	30.2 / 48.6	30.2 / 48.6	12	27	
John Deere	John Deere	9400M	4038	AutoTrac Ready	Autopilot Ready Install, Direct Connect		54037-25	N/A	53676	Yes	Yes	Yes			John Deere ATR 9402S.vdb		5.25	30.2 / 48.6	30.2 / 48.6	4	8	
Mansey Ferguson	Mansey Ferguson	9000 (South America)	9030	Auto-Guide Ready, CAN	Autopilot Ready Install, CAN		54035-5062		54035-63	N/A		No	Yes	No	Mansey 9030 CAN.vdb		5.16	30.2 / 48.6	30.2 / 48.6	N/A	N/A	
Miller	Miller	Nitro	5315, 5340	Auto-Guide Ready	Autopilot Ready Install		54037-13	N/A	62034 or 62388-02	No	Yes	Yes			Miller AGR Nitro 5215-5340.vdb		5.25	30.2 / 48.6	30.2 / 48.6	8	10	
Miller	Miller	Nitro	5275, 5333, 5345, 5365, 5400	Auto-Guide Ready	Autopilot Ready Install		54037-13	N/A	62034 or 62388-02	No	Yes	Yes			Miller AGR Nitro 5275-5400.vdb		5.25	30.2 / 48.6	30.2 / 48.6	8	10	
Miller	Miller	Nitro	6300, 6335, 6345, 6365, 6500	Auto-Guide Ready	Autopilot Ready Install		54037-13	N/A	62034 or 62388-02	No	Yes	Yes			Miller AGR Nitro 6275-6500.vdb		5.25	30.2 / 48.6	30.2 / 48.6	8	10	
Miller	Miller	Nitro	7110	Auto-Guide Ready, CAN	Autopilot Ready Install, CAN		54037-19	N/A	62034 or 62388-02	No	Yes	Yes			Miller Nitro AGR 7110 CAN.vdb		24.0 / 38.6	24.0 / 38.6	9	35		
Miller	Miller	Nitro	7170, 7410	Auto-Guide Ready, CAN	Autopilot Ready Install, CAN		54037-19	N/A	62034 or 62388-02	No	Yes	Yes			Miller Nitro AGR 7370, 7410 CAN.vdb		13.00	24.0 / 38.6	24.0 / 38.6	9	35	
Miller	Miller	Condor	GC40, GC75</																			

Make	Series	Models	Vehicle Options	Antenna/Options	Platform Kit or Competitor Kit	Flow Kit	Antenna Bracket	YDM-902 Installed?	Outback Installed?	NextSwath Installed?	NextSwath Connect?	NextSwath Connect Platform Kit	NextSwath Connect Notes	Notes	YDR	Minimum F/W	Engage Speed	Max Speed	Paye	Dissemin
Cas H	WD Series II	WD1203 II, WD1303 II, WD 2303 II	Acquire Ready	Acquire Ready Install, CAN	64425-28	84425-28	64425-27	N/A	62034 or 53676	No	Yes	No	Hybrid cabling provided in controller kit	CHAG WD1203_250a.vdb	6.00	12.0 / 19.5	16.6 / 26.6	10	34	
Cas H	WD 5 Series	WD1504, WD1204, WD 2504	Acquire Ready	Acquire Ready Install, CAN	64425-28	84425-28	64425-27	N/A	62034 or 53676	No	Yes	No	Hybrid cabling provided in controller kit	CHAG WD1504_250a.vdb	6.00	12.0 / 19.5	16.6 / 26.6	10	34	
Challenger	WR 9790	WR 9740, WR9760, WR9770	Auto-Guide Ready, CAN	Acquire Ready Install, CAN	54035-5062		54038-46	N/A	62034	No	Yes	Yes	For NAV900 installs, the machine must have the TopDac connector	Challenger WR 9900.vdb	12.00	10.0 / 16.1	20.0 / 32.2	N/A	N/A	
Challenger	WR 9800	WR9840, WR9860, WR9870	Auto-Guide Ready, CAN	Acquire Ready Install, CAN	54035-5062		54038-46	N/A	62034	No	Yes	Yes	For NAV900 installs, the machine must have the TopDac connector	Challenger WR 9900.vdb	12.00	10.0 / 16.1	20.0 / 32.2	N/A	N/A	
MacDon	M	M100, M105	Base Model	Acquire Ready Install, Medium and Low Speed	54038-66		54038-66	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed	MacDon M20i High and Low.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M100, M105	Factory Guidance ready	Acquire Ready Install, Medium and Low Speed	64425-67	84425-67	64425-67	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed. NavController and Cables are in the platform completion kit, CFX and FMS Support Only	MacDon M20i High and Low.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M150, M200, M155, M205	Base Model	Acquire Ready Install, Medium and Low Speed	54038-66		54038-66	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed	MacDon M20i High and Low.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M150, M200, M155, M205	Factory Guidance ready	Acquire Ready Install, Medium and Low Speed	64425-67	84425-67	64425-67	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed. NavController and Cables are in the platform completion kit, CFX and FMS Support Only	MacDon M20i High and Low.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M100, M105	Base Model	Acquire Ready Install, Low Speed	54038-66		54038-66	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed	MacDon M20i Low only.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M100, M105	Factory Guidance ready	Acquire Ready Install, Low Speed	64425-67	84425-67	64425-67	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed. NavController and Cables are in the platform completion kit, CFX and FMS Support Only	MacDon M20i Low only.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M150, M200, M155, M205	Base Model	Acquire Ready Install, Low Speed	54038-66		54038-66	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed	MacDon M20i Low only.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M	M150, M200, M155, M205	Factory Guidance ready	Acquire Ready Install, Low Speed	64425-67	84425-67	64425-67	N/A	66774, 62034 or 62388-02	No	No	No	Make sure the Guidance valve option 85589 is installed. NavController and Cables are in the platform completion kit, CFX and FMS Support Only	MacDon M20i Low only.vdb	5.25	10.0 / 16.1	18.0 / 29.0	5	30	
MacDon	M1 series	M1170, M1240	Factory Guidance ready	Acquire Ready Install, Disc Header (x8 1mph)	64425-68	84425-68	64425-68	N/A	62034 or 62388-02, Nav 900 Plate is MacDon PW 309307	No	Yes	No	Requires MacDon 85995 Completion kit (includes Steering valve / NavController Harness / Display mount), CFX and FMS Support Only	MacDon M1240 Disc.vdb	13.30	10.0 / 16.1	19.0 / 30.6	6	30	
MacDon	M1 series	M1170, M1240	Factory Guidance ready, MY 2019	Acquire Ready Install, Disc Header (x8 1mph)	64425-68	84425-68	64425-68	N/A	62034 or 62388-02, Nav 900 Plate is MacDon PW 309307	No	Yes	No	Requires MacDon 85995 Completion kit (includes Steering valve / NavController Harness / Display mount), CFX and FMS Support Only	MacDon M1240 Disc.vdb	13.30	10.0 / 16.1	19.0 / 30.6	6	30	
MacDon	M1 series	M1170, M1240	Factory Guidance ready	Acquire Ready Install, Draper/Auger Header (x8 1mph)	64425-68	84425-68	64425-68	N/A	62034 or 62388-02, Nav 900 Plate is MacDon PW 309307	No	Yes	No	Requires MacDon 85995 Completion kit (includes Steering valve / NavController Harness / Display mount), CFX and FMS Support Only	MacDon M1240 Draperv.vdb	13.30	10.0 / 16.1	19.0 / 30.6	6	30	
MacDon	M1 series	M1170, M1240	Factory Guidance ready, MY 2019	Acquire Ready Install, Draper/Auger Header (x8 1mph)	64425-68	84425-68	64425-68	N/A	62034 or 62388-02, Nav 900 Plate is MacDon PW 309307	No	Yes	No	Requires MacDon 85995 Completion kit (includes Steering valve / NavController Harness / Display mount), CFX and FMS Support Only	MacDon M1240 Draperv.vdb	13.30	10.0 / 16.1	19.0 / 30.6	6	30	
Massey Ferguson	WR 9790	WR9740, WR9760, WR9770	Auto-Guide Ready, CAN	Acquire Ready Install, CAN	54035-5062		54038-46	N/A	62034	No	Yes	Yes	Minimum software version required on WR machines for NextSwath remote engage confirms to work is version 2.0.12 for Model Year 2015 vehicles, and 2.1.4 for Model Year 2016 vehicles. For NAV900 installs, the machine must have the TopDac connector	MFAG WR 9900.vdb	12.00	10.0 / 16.1	20.0 / 32.2	N/A	N/A	
Massey Ferguson	WR 9800	WR9840, WR9860, WR9870	Auto-Guide Ready, CAN	Acquire Ready Install, CAN	54035-5062		54038-46	N/A	62034	No	Yes	Yes	Minimum software version required on WR machines for NextSwath remote engage confirms to work is version 2.0.12 for Model Year 2015 vehicles, and 2.1.4 for Model Year 2016 vehicles. For NAV900 installs, the machine must have the TopDac connector	MFAG WR 9900.vdb	12.00	10.0 / 16.1	20.0 / 32.2	N/A	N/A	
Massey Ferguson	WR 9990	WR9950, WR9960, WR9970, WR9980	Auto-Guide Ready, CAN	Acquire Ready Install, CAN	54038-5047		54038-47	N/A	62034	No	Yes	Yes	Minimum software version required on WR machines for NextSwath remote engage confirms to work is version 2.0.12 for Model Year 2015 vehicles, and 2.1.4 for Model Year 2016 vehicles. For NAV900 installs, the machine must have the TopDac connector	MFAG WR 9900.vdb	12.00	10.0 / 16.1	20.0 / 32.2	N/A	N/A	
New Holland	Speedrower TAA	130, 200, 240	IntelliSteer Ready	Acquire Ready Install	64425-28	84425-28	64425-27	N/A	62034 or 53676	No	Yes	No	Hybrid cabling provided in controller kit	NHS Speedrower.vdb	6.00	12.0 / 19.3	16.6 / 26.6	10	34	
New Holland	Speedrower T48	160, 220, 260	IntelliSteer Ready	Acquire Ready Install	64425-28	84425-28	64425-27	N/A	62034 or 53676	No	Yes	No	Hybrid cabling provided in controller kit	NHS Speedrower.vdb	6.00	12.0 / 19.3	16.6 / 26.6	10	34	
New Holland	H	H8040, H8060, H8080	Base Model	Autopilot Motor Drive	78100-08-R5		78038-25	N/A	62034	No	Yes	No	Hybrid cabling provided in controller kit	New Holland H Swatheer AFPM.vdb	13.45	10.0 / 16.1	16.8 / 27.0	4	9.5	
New Holland	HW	HW325, HW345, HW365	Base Model	Autopilot Motor Drive	78100-08-R5		78038-25	N/A	62034	No	Yes	No	Hybrid cabling provided in controller kit	New Holland H Swatheer AFPM.vdb	13.45	10.0 / 16.1	16.8 / 27.0	4	9.5	

Tracked Tractor																									
Make	Series	Models	Vehicle Options	Autopilot Options	Autopilot Options	Platform Kit or Competition Kit		Base Kit	Antenna Bracket	VDM-912 Available?	OnSwath Available?	NextSwath Available?	NextSwath Connect?	NextSwath Connect Platform Kit	NextSwath Connect Notes	Notes		VDB	Minimum P/W	Engage Speed	Max Speed	P/W	Deadlines		
Bron	50	450, 550	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-100	N/A		62034	No	No	No						Bron 450, 550 CAN.vdb	13.30	10.0 / 16.1	18.0 / 29.0	13	33			
	CAT	Challenger 35-55 vdb	Base Model	Hydraulic	54035-10	55763	0795-0290	No	No	No							CAT Challenger 35-55 vdb	5.16	10.0 / 16.1	10.0 / 16.1	N/A	18			
	CAT	Challenger 65-95 vdb	Base Model	Hydraulic	54035-11	56529	15548	No	No	No							CAT Challenger 65-95 vdb	5.16	10.0 / 16.1	10.0 / 16.1	N/A	18			
	Challenger	MT7008	MT7358, MT7658, MT7558, MT7658	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes					AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A			
	Challenger	MT7100	MT738, MT743	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5180	54035-81	N/A	0795-0290	No	Yes	No					Challenger MT738, MT743 CAN.vdb	13.30	10.0 / 16.1	18.0 / 29.0	N/A	N/A			
Challenger	MT700C	MT755C, MT765C	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, With Topdoc Connector	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT700C	MT755C, MT765C	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, Without Topdoc Connector	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT700D	MT755D, MT765D	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, With Topdoc Connector	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT700D	MT755D, MT765D	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, Without Topdoc Connector	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT700E	MT755E, MT765E, MT775E	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, With Topdoc Connector	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	CAN Remote engage button non functional AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT700E	MT755E, MT765E, MT775E	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, Without Topdoc Connector	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	CAN Remote engage button non functional AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT800C	MT835C, MT845C, MT855C, MT865C, MT875C	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, With Topdoc Connector	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT800C	MT835C, MT845C, MT855C, MT865C, MT875C	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, Without Topdoc Connector	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT800D	MT845D, MT855D, MT865D, MT875D	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, With Topdoc Connector	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT800D	MT845D, MT855D, MT865D, MT875D	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, Without Topdoc Connector	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT800E	MT845E, MT855E, MT865E, MT875E	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, With Topdoc Connector	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	CAN Remote engage button non functional AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Challenger	MT800E	MT845E, MT855E, MT865E, MT875E	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN, Without Topdoc Connector	54035-5018	54035-18	N/A	0795-0290	No	Yes	Yes	Yes	104646-30	Challenger tractors must have the One-Touch Button sequence capability Challenger tractors must have the One-Touch Button sequence capability	CAN Remote engage button non functional AGCO MT 7358, 875C CAN.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	N/A					
Fendt	700 MT	938MT, 940MT, 943MT	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5180	54035-81	N/A	0795-0290	No	Yes	No					Fendt MT938, MT943 CAN.vdb	13.30	10.0 / 16.1	18.0 / 29.0	N/A	N/A				
Fendt	1100 MT	1149MT, 1154MT, 1159MT, 1165MT	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-18	N/A	0795-0290	No	Yes	Yes					CAN Remote engage button non functional Fendt MT1149, MT1165.vdb	13.00	10.0 / 16.1	18.0 / 29.0	N/A	N/A				
Fendt	1100 MT	1151MT, 1156MT, 1162MT, 1167MT	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-5062	54035-18	N/A	0795-0290	No	Yes	No					CAN Remote engage button non functional SU-200 kits are only available in NA and LATAM sales regions	Fendt Varis 1151MT_1167MT.vdb	13.30	10.0 / 16.1	18.0 / 29.0	N/A	N/A			
John Deere	8000T	8130T, 8200T, 8300T, 8400T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes						John Deere tractors must have the Analog IMS or ITEC 1-2 switch	JD 800T_820T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18			
John Deere	8010T	8110T, 8210T, 8310T, 8410T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	SU-200 kits are only available in NA and LATAM sales regions	JD 800T_820T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	8020T	8120T, 8220T, 8320T, 8420T, 8520T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	SU-200 kits are only available in NA and LATAM sales regions	JD 800T_820T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	9000T	9300T, 9400T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	SU-200 kits are only available in NA and LATAM sales regions	JD 800T_820T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	9020T	9320T, 9420T, 9520T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	SU-200 kits are only available in NA and LATAM sales regions	JD 800T_820T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	8030T	8230T, 8330T, 8430T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	SU-200 kits are only available in NA and LATAM sales regions	JD 803T_830T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	9030T	9430T, 9530T, 9630T	Base Model	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	SU-200 kits are only available in NA and LATAM sales regions	JD 903T_930T.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	8RT	8295RT, 8320RT, 8345RT, 8310RT, 8335RT, 8360RT	2010-2011, IVT Economy 1	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Note Year on 8310RT and 8345RT as 2014 models use 54035-42 while 2011 and previous models use 54035-82. SU-200 kits are only available in NA and LATAM sales regions	JD 845RT IVT Economy 1.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	8RT	8295RT, 8320RT, 8345RT, 8310RT, 8335RT, 8360RT	2010-2011, IVT Economy 2	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Note Year on 8310RT and 8345RT as 2014 models use 54035-42 while 2011 and previous models use 54035-82. SU-200 kits are only available in NA and LATAM sales regions	JD 845RT IVT Economy 2.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	8RT	8295RT, 8320RT, 8345RT, 8310RT, 8335RT, 8360RT	2010-2011, IVT Normal	SU-200 Install	54035-82	N/A	0795-0260	No	Yes	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	Note Year on 8310RT and 8345RT as 2014 models use 54035-42 while 2011 and previous models use 54035-82. SU-200 kits are only available in NA and LATAM sales regions	JD 845RT.vdb	5.16	10.0 / 16.1	18.0 / 29.0	N/A	18				
John Deere	8RT	8310RT, 8320RT, 8335RT, 8345RT, 8360RT, 8370RT	AutoTrac Ready, 2012+	Autoguide Ready Install, CAN	54035-5042	54035-42	N/A	62034 or 66774	No	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	JOAT CAN 8000RT Tracked.vdb	11.00	15.0 / 24.1	18.0 / 29.0	10	8					
John Deere	8RT	8RT31D, 8RT34D, 8RT37D, 8RT41D	AutoTrac Ready	Autoguide Ready Install, CAN	54035-5042	54035-42	N/A	62034 or 66774	No	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	JOAT CAN 8000RT Tracked.vdb	11.00	15.0 / 24.1	18.0 / 29.0	10	8					
John Deere	9RT	9460RT, 9470RT, 9510RT, 9520RT, 9560RT, 9570RT	AutoTrac Ready, 2012	Autoguide Ready Install, CAN	54035-5042	54035-42	N/A	62034 or 66774	No	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	JOAT CAN 9000RT Tracked.vdb	11.00	10.0 / 16.1	18.0 / 29.0	10	8					
John Deere	9RT	9RT47D, 9RT52D, 9RT57D	AutoTrac Ready	Autoguide Ready Install, CAN	54035-5042	54035-42	N/A	62034 or 66774	No	Yes	Yes	Yes	104646-10	John Deere tractors must have the Analog IMS or ITEC 1-2 switch	JOAT CAN 9000RT Tracked.vdb	11.00	10.0 / 16.1	18.0 / 29.0	10	8					
Wolfe	40	440, 540	Auto-Guide Ready, CAN	Autoguide Ready Install, CAN	54035-101	N/A	62034	No	Yes	No						Wolfe Tie Flow AG.vdb	13.00	10.0 / 16.1	18.0 / 29.0	N/A	35				